

## INDICES TO VOLUME 62

COMPILED BY AMY M. ANDERSON, JENA L. BORASH,  
STACIE F. RAZIM AND KEN YASUKAWA

Three indices follow: an author index, a subject/geographic index and a taxonomic index of avian species mentioned in the volume.

### Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature selection.)

- Afton, A. D., 325-334  
Anderson, S. H., 191-194  
Arnold, A. P., 420 (r)  
Aspinall, S., 421-422 (r)  
Bacon, B. R., 148 (r)  
Banbura, J., 281 (r)  
Bancroft, G. T., 78-82  
Baptista, L. F., 282 (r)  
Barrentine, C. D., 416 (r)  
Bart, J., 151 (r)  
Baylis, J. R., 226-229  
Bendell, J. F., 149 (r)  
Bennett, A. J., 280 (r)  
Bennett, L. A., 280 (r)  
Benson, K. L. P., 149, 285-286 (r)  
Benson, R. H., 149 (r)  
Berner, K. L., 152, 283-284 (r)  
Bias, M. A., 423 (r)  
Bingman, V. P., 409 (r)  
Blattner, M., 280 (r)  
Blem, C. R., 299-307  
Blem, L. B., 299-307  
Blomme, C. G., 409 (r)  
Blus, L. J., 419 (r)  
Boag, D. A., 149 (r)  
Brattstrom, B., 422 (r)  
Braun, C. E., 378-385  
Brennan, L. A., 357-366  
Brichetti, P., 281-282 (r), 283 (r)  
Brigham, R. M., 287 (r)  
Bruce, C. R., 245-255  
Bruce, M. D., 286 (r)  
Bruderer, B., 409 (r)  
Buchanan, J. B., 357-366  
Buckingham, B., 409-410 (r)  
Bull, E. L., 153 (r)  
Burchsted, A., 139-146  
Burger, G. V., 425-426 (r)  
Cain, S., 407 (r)  
Campbell, E. W., 343-348  
Carpenter, A. L., 408 (r)  
Carpenter, T. W., 408 (r)  
Carrol, J. P., 418 (r)  
Castro, G., 314-318  
Castroviejo, J., 181-190  
Caswell, F., 407 (r)  
Cavalcanti, R. B., 177-180  
Cerana, M. M., 421 (r)  
Charlet, D. A., 46-52  
Chilton, G., 282 (r)  
Church, K. E., 417 (r)  
Cintra, R., 177-180  
Clacagno, J. A., 293-298  
Clark, L., 416 (r)  
Clark, R. G., 132-138  
Cleary, E., 409-410 (r)  
Coemans, M. A. J. M., 284-285 (r)  
Contreras-Balderas, A. J., 285 (r)  
Conway, D. K., 285-286 (r)  
Cooper, B. A., 367-377  
Cranor, C. L., 367-377  
Craven, S., 407 (r)  
Davies, N. B., 282-283 (r)  
Day, R. H., 367-377  
de la Garza, F. M., 285 (r)  
de la Riva, M., 181-190  
Delibes, M., 319-324  
Dennis, J. V., 408 (r)  
Deslauriers, J. V., 107-116  
Dobler, G., 413 (r)  
Dolbeer, R. A., 83-93, 409-410 (r)  
Donazar, J. A., 281 (r), 287 (r), 319-324  
Dunn, E. H., 256-259  
Eakle, W. L., 154 (r)  
Eers, M., 413 (r)  
Engle, K. A., 148 (r)  
Erbelting-Denk, C., 412-413 (r)  
Eriksson, M., 412 (r)  
Erksine, A. J., 410 (r)  
Evrard, J. O., 148 (r)  
Falls, J. B., 288 (r)  
Fancher, J. M., 152 (r)  
Fefer, S. I., 284 (r)  
Ferrer, M., 181-190

- Finck, E. J., 151-152 (r)  
 Fishman, M. S., 279 (r)  
 Fivizzani, A. J., 19-27  
 Foken, S., 418-419 (r)  
 Francis, C. M., 107-116  
 Fredrickson, L. H., 425-426 (r)  
 Gargioni, A., 283 (r)  
 Gellini, S., 283 (r)  
 Gerhardt, R. P., 239-244  
 Giraudoux, P., 422-423 (r)  
 Glue, D., 413 (r)  
 Gnam, R., 139-146  
 Golombek, D. A., 293-298  
 Graber, D. A., 425-426 (r)  
 Gratto-Trevor, C. L., 19-27  
 Griffin, C. R., 284 (r)  
 Grubb, T. G., 154 (r)  
 Gumbart, T. C., 283 (r)  
 Guthery, F. S., 288 (r)  
 Haag, D., 279 (r)  
 Haberman, K., 117-131  
 Habert, M., 422-423 (r)  
 Hailman, J. P., 226-229  
 Haley, D. E., 150 (r)  
 Harris, M. P., 287 (r), 415-416 (r), 421 (r)  
 Hatchwell, B. J., 282-283 (r)  
 Havera, S. P., 425-426 (r)  
 Heji, S. J., 150 (r)  
 Henjum, M. G., 153 (r)  
 Henny, C. J., 419 (r)  
 Herman, S. G., 357-366  
 Herrmann, K., 420 (r)  
 Heselton, K. E., 148 (r)  
 Hief, R. H., 325-334  
 Hilbers, J., 412 (r)  
 Hill, J. R., III, 173-176  
 Hilton, B., 147 (r)  
 Hiraldo, F., 319-324  
 Hodges, J., 407 (r)  
 Hoglund, J., 412 (r)  
 Hooge, P. N., 230-238  
 Hualong, S., 150 (r)  
 Huanjin, L., 150 (r)  
 Huboer, J. F. W., 284-285 (r)  
 Hudson, A., 421-422 (r)  
 Humphrey, R. C., 416-417 (r)  
 Hussell, D. J. T., 69-77, 260-270  
 Hussell, J. A. T., 256-259  
 Ioale, P., 149-150 (r)  
 Jaksic, F. M., 417 (r)  
 James, P. C., 132-138  
 Jenny, M., 279 (r)  
 Jewell, S. D., 78-82  
 Johnson, D. B., 288 (r)  
 Kane, A. H., 288 (r)  
 Keppie, D. M., 280 (r)  
 Kershner, M. A., 28-39  
 Kirby, R. E., 425-426 (r)  
 Knopf, F. L., 314-318  
 Koenig, W. D., 423-425 (r)  
 Koivula, K., 410 (r)  
 Korpimaki, E., 419-420 (r)  
 Krieger, S., 152 (r)  
 Kushlan, J., 284 (r)  
 Lamb, W. A., 408 (r)  
 Leakey, M., 153 (r)  
 Lein, M. R., 282 (r)  
 Lemes, M. R., 177-180  
 Liechti, F., 409 (r)  
 Lijfeld, J. T., 150-151 (r)  
 Lindell, L. E., 412 (r)  
 Linkhart, B. D., 413-414 (r)  
 Loria, D. E., 152 (r)  
 Lothian, I., 139-146  
 Luquet, C. M., 293-298  
 MacKenzie, D. I., 117-131  
 Maestri, F., 281 (r)  
 Mannan, R. W., 154 (r)  
 Marantz, C. A., 162-172  
 Marion, W. R., 284 (r)  
 Marjakangas, A., 414 (r)  
 Marzolin, G., 285 (r)  
 Massey, B. W., 152 (r)  
 Master, T. L., 399-402  
 McCarty, J. P., 211-217  
 McClelland, B., 420 (r)  
 McElory, T. P., 290-291 (r)  
 McGettigan, D., 152 (r)  
 McGregor, P. K., 288 (r)  
 Mench, J. A., 409 (r)  
 Meyers, J. M., 53-68  
 Michelat, D., 422-423 (r)  
 Middleton, A. L. A., 200-203  
 Milne, K. A., 150 (r)  
 Moller, A. P., 151, 411-412 (r)  
 Moore, F. R., 152 (r)  
 Moore, M., 420 (r)  
 Morari, J. B., 132-138  
 Mores, M., 421 (r)  
 Morris, J. A., 287 (r), 415-416 (r)  
 Neto, P. S., 173-176  
 Norris, K. J., 415 (r)  
 Nozzolini, M., 149-150 (r)  
 Oakleaf, R., 191-194  
 Odum, E. P., 53-68  
 Ohsako, Y., 283 (r)  
 Olson, S. L., 286 (r)  
 Orell, M., 410 (r)  
 Oring, L. W., 19-27  
 Ouellet, H., 403-406  
 Page, G. W., 245-255  
 Papi, F., 149-150 (r)  
 Parker, G. H., 409 (r)  
 Part, T., 414 (r)

- Patterson, C. B., 1-18  
 Persinger, M. A., 409 (r)  
 Pinxten, R., 413 (r)  
 Piper, W. H., 40-45  
 Poole, K. G., 420-421 (r)  
 Porter, W. F., 417 (r)  
 Post, W., 195-199  
 Pugeseck, B. H., 282 (r)  
 Rappole, J. H., 335-342  
 Ratti, J., 407 (r)  
 Reid, M. L., 416 (r)  
 Remsen, J. V., Jr., 162-172, 291 (r)  
 Rendell, W. B., 147-148 (r)  
 Reynolds, R. T., 413-414 (r)  
 Rising, J. D., 117-131  
 Ritchie, R. J., 367-377  
 Robertson, R. J., 148 (r)  
 Rogers, C. M., 349-356  
 Rohweder, R. S., 153 (r)  
 Rottela, J., 407 (r)  
 Rusch, D., 407 (r)  
 Rust, R. W., 46-52  
 Rytkonen, S., 410 (r)  
 Saino, N., 281-282 (r)  
 Samuel, M., 407 (r)  
 Schaffner, F. C., 280-281 (r)  
 Schallenberger, R. J., 284 (r)  
 Schamel, D., 390-398  
 Scheibel, M., 279 (r)  
 Schick, C. T., 357-366  
 Schifter, H., 407-408 (r)  
 Schlund, W., 285 (r)  
 Schroeder, M. A., 378-385  
 Scolaro, J. A., 204-210  
 Seals, C. A., 195-199  
 Seamans, T., 409-410 (r)  
 Seutin, G., 308-313  
 Shouyi, S., 150 (r)  
 Shuford, W. D., 245-255  
 Slagsvold, T., 150-151 (r)  
 Smeraski, C. A., 416 (r)  
 Speiser, C. T., 280 (r)  
 Squires, J. R., 191-194  
 Stacey, P. B., 423-425 (r)  
 Stanback, M. T., 94-96  
 Stauber, E., 420 (r)  
 Stedman, S. J., 408-409 (r)  
 Stenzel, L. E., 245-255  
 Stowe, T., 421-422 (r)  
 Struhsaker, T. T., 153 (r)  
 Suburo, A. M., 204-210  
 Sullivan, K. A., 283 (r)  
 Suthers, D. D., 148-149 (r)  
 Suthers, H. B., 148-149 (r)  
 Tacha, T. D., 150 (r)  
 Taylor, T. S., 425-426 (r)  
 Taylor, W. K., 28-39  
 Ten Cate, C., 412 (r)  
 Terkanian, B. A., 157-161  
 Thomas, N., 420 (r)  
 Thompson, C. W., 157-161  
 Thompson, S. P., 419 (r)  
 Thraillkill, J., 423 (r)  
 Tipton, A. R., 335-342  
 Towers, J., 280 (r)  
 Tracy, D. M., 390-398  
 Traylor, M. A., Jr., 291 (r)  
 Trillmich, F., 412-413 (r)  
 Trost, R., 407 (r)  
 Tuttle, R. M., 417-418 (r)  
 Valvo, F. L., 281 (r)  
 van der Berg, A., 418 (r)  
 Vander Wall, S. B., 288-290 (r)  
 Vannini, J. P., 422 (r)  
 Veiga, J. P., 410-411 (r)  
 Verbeek, N. A. M., 386-389  
 Verheyen, R. F., 413 (r)  
 Vohs, P. A., 150 (r)  
 Voltolini, L., 281 (r)  
 Vox Huz, J. J., 284-285 (r)  
 Wanless, S., 287 (r), 415-416 (r), 420 (r)  
 Weary, D. M., 288 (r)  
 Weatherhead, P. J., 416 (r)  
 Weiss, N., 407 (r)  
 Wheeler, W. E., 271-278  
 Whitfield, D. P., 414-415 (r)  
 Wiley, R. H., 40-45  
 Williams, T. C., 218-225  
 Wilson, M. T. J., 148 (r)  
 Wilson, R. P., 148 (r)  
 Wilson, U. W., 419 (r)  
 Winkler, D. W., 211-217  
 Woronecki, P., 409-410 (r)  
 Wunder, B. A., 314-318  
 Yamagishi, S., 283 (r)  
 Yasukawa, K., 154 (r)  
 Yates, R., 420 (r)  
 Young, L. S., 148 (r)  
 Zamora, R., 423 (r)  
 Zembel, R., 152 (r)  
 Zicus, M. C., 411 (r)  
 Zieliniski, P., 281 (r)  
 Zimmerman, J. L., 151-152 (r)  
 Zwickel, F. C., 149 (r)

## Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced within the review sections of the Journal, they are indexed by geographic location only.

- Alberta, 282, 834
- Andes mountains, 163-172
- ANOVA, 120-126, 257
- Argentina, 163-172, 178, 204-210, 239
- Arizona, 157-161, 246, 251, 283
- Australia, 286
- Bahamas, 117, 139-146
- behavior
  - bathing, 46-51, 386-389
  - circadian rhythm, 293-298
  - courtship and copulation, 403-406
  - diurnal activity patterns, 107-116
  - diving depth, Magellanic Penguins, 204-210
  - drinking, 46-51
  - effects of radio weight and harnesses, 230-238
  - nest defense, 29
  - parental investment, Red-winged Blackbird, 1-18
  - post-flight tail-wagging, Mallard, 226-229
  - preening, 46-51
  - response to broadcast of conspecific calls, 239-244
  - time budget, 230-238
  - tongue flicking, 399-402
- Bolivia, 163-172, 178, 291
- Brazil, 173-176, 178
- breeding bird censuses, 53-66, 139-146
- British Columbia, 287
- California, 46, 94-95, 230-238, 246-255, 280-281
- Columbia, 117, 163-172
- Cuba, 117-130
- ecology
  - geographic variation, Gray Kingbird, 117-131
  - impounded wetlands, 195-199
  - nest box selection, Prothonotary Warbler, 299-307
  - niche partitioning, 119-120
  - sex ratios, 253
  - sexual selection, 1-18, 118-119
  - site fidelity and reneesting, American Pipits, 338-342
  - species diversity, 53-68, 97-106, 107-116, 195-199, 343-348
  - wetlands, 53-66
- England, 282-283
- Everglades, 78-82
- Florida, 28, 78-83, 97-106, 197, 284
- food and foraging
  - diet, 211-217, 319-324, 325-334
  - diving depths, Magellanic Penguins, 208
  - preference for feeder location, 256-259
  - tongue flicking, 399-402
- France, 285
- Georgia, 53-66, 223, 280
- Germany, 285
- Great Basin, 46-51
- Guatemala, 240-243
- Gulf of Mexico, 83
- Gulf of St. Lawrence, 83
- Guyana, 239
- Hawaii, 284
- Holland, 284-285
- Honduras, 239
- Idaho, 246
- Indiana, 1-18
- Italy, 281, 281-282, 283
- Jamaica, 117-130
- Jarbridge Mountains, 46-47
- Kansas, 268-269
- Louisiana, 197
- Manitoba, 20-26, 29
- Massachusetts, 220-223
- Mexico, 223, 239, 246, 285
- migration, orientation, homing
  - autumnal migration, 218-225, 260-270
  - constant compass orientation, autumnal migrants, 218-225
  - spring migration, 69-77, 83-93, 107-116
- Minnesota, 21
- Mississippi, 223
- Mississippi Valley, 83
- morphology and anatomy
  - Bergmann's Rule, 118
  - bill deformities, Curve-billed Thrasher, 157-161
  - geographic variation, Gray Kingbird, 117-131
  - identification of Traill's Flycatchers, 308-313
  - sexing American Crows, 132-138

- Stein's equation, 262, 308-313
- nesting and reproduction
- autumnal breeding, Scrub Jay, 94-96
  - breeding biology, Great-crested Flycatcher, 28-38
  - brood size, 11, 32
  - clutch size, 32, 178-179
  - copulation, 32
  - distribution and abundance, Snowy Plover, 245-255
  - egg loss, 177-180
  - egg variation, 32
  - fledgling success, 10, 36-37
  - impounded wetlands, 195-199
  - incubation, 33-34, 178
  - nest
    - location, Black Vulture, 173-176
    - parasitism, 200-203
    - predation, 7
    - sanitation, 35-36, 40-45
    - structure, 31-32
    - success, 78-82
  - nest failure, effects of weather, 191-194
  - parental investment, Red-winged Blackbird, 1-18
  - seasonal distribution, Slaty Elaenia, 162-172
- Netherlands Antilles, 117-130
- Nevada, 46-51, 246-255
- New Britain, 286
- New Brunswick, 280
- New Guinea, 286
- New Jersey, 198, 223
- New Mexico, 246-255
- New York, 198, 211-217, 279, 283-284
- North Carolina, 41-45
- North Dakota, 19, 21
- Nova Scotia, 218-223
- Ontario, 69-77, 107-116, 197, 200-203, 256-259, 260-270, 280, 288
- Oregon, 246-255
- Palaearctic, 281
- Peru, 163-172
- Philippines, 286
- physiology
- Boyle's Gas Law, 204
  - estradiol, 19-27
  - maximum diving depths, Magellanic Penguin, 204-210
  - plasma corticosterone levels, 19-27
  - prolactin levels, 19-27
  - stress, 19-27
  - temperature, 314-318
  - testosterone levels, 19-27
- population dynamics
- breeding bird populations, 53-68, 195-199
  - density in an impounded marsh, 195-199
  - distribution and abundance, Snowy Plover, 245-255
  - effects of power lines on raptors, 181-190
  - population estimates, Bahama Parrot, 139-146
  - seasonal distribution, Slaty Elaenia, 162-172
- Saskatchewan, 132-138
- Scotland, 287
- songs and vocalization
- broadcast of conspecific calls, Mottled Owls, 239-244
  - courtship and copulation, Crane-Hawk, 403-406
- South Carolina, 195-199
- Spain, 181-190, 287
- Surinam, 239
- Switzerland, 279, 279-280, 280
- techniques
- addition of nest boxes and snags, 97-106
  - artificial nestling, 211-217
  - blood and feather sampling, 20-21
  - broadcast of conspecific calls, 239-244
  - censusing, 55-59, 139
  - density estimates, 100, 139-146, 195-199
  - effects of radio weights and harnesses, 230-238, 271-278
  - effects of time of day on mist net captures, 107-116
  - estimating species richness, 55-59, 100
  - fat classing, 349-356
  - international bird census mapping method, 97-100
  - laparotomy, 40-45
  - radar tracking, 367-377
  - radio transmitter attachment methods, 230-238, 271-278, 335-337
  - migration studies, 261-262
  - morphometric identification, Traill's Flycatchers, 308-313
  - netting and trapping, 78-82, 107-116, 378-385
  - sex ratios, 357-366
  - sexing, 40-45, 132-134
  - wing chords, 74-75
- Tennessee, 284
- Texas, 83, 223, 285-286, 288
- Tobago, 117-130
- Trinidad, 117-130, 239
- Uruguay, 178
- Utah, 247-255
- Venezuela, 117-130, 163
- Virginia, 220
- Warner Mountains, 46-47
- Washington, 246

- West Indies, 117-130
- wildlife management and economic ornithology
- addition of nest boxes and snags, 97-106
- breeding bird populations, Okefenokee Swamp, 53-68
- electrocution of raptors, 181-190
- high mountain bogs, Golden Eagle, 46-52
- nesting on skyscrapers, Black Vulture, 173-176
- population estimates, Bahama Parrot, 139-146
- species diversity and introduced roof rats, 343-348
- walk-in traps for Greater Prairie-Chickens, 378-385
- Wisconsin, 220-224, 226-229, 271-278
- Wyoming, 191-194, 282
- zoogeography and distribution
- distribution and abundance, Snowy Plover, 245-255
- seasonal distribution, Slaty Elaenia, 162-172

## Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes and reviews.

- Acanthorhynchus superciliosus*, 387  
*A. tenuirostris*, 388  
*Accipiter striatus*, 373, 376  
*A. gentilis*, 149  
*Acrocephalus palustris*, 283 (r)  
*Agelaius phoeniceus*, 1-18, 30, 61-62, 65, 113, 154, 196, 271, 352  
*Aimophila botteri*, 285-286 (r)  
*Aix sponsa*, 62, 65  
*Alauda arvensis*, 279-280 (r)  
*Alca torda*, 287 (r)  
*Amazona leucocephala*, 139, 145  
*A. l. bahamensis*, 139-146  
*A. l. caymanensis*, 139  
*A. l. hesterna*, 139  
*A. l. leucocephala*, 139  
*A. l. palmarum*, 139  
*Anas acuta*, 373  
*A. clypeata*, 281-282 (r)  
*A. discors*, 148, 230, 271-278  
*A. platyrhynchos*, 226-229, 271-278, 281-282 (r), 373, 376  
*A. strepera*, 281-282 (r)  
Ani, Groove-billed, see *Crotophaga sulcirostris*  
    Smooth-billed, see *C. ani*  
*Anser albifrons*, 373  
*Anthochaera carunculata*, 386-387  
*Anthus pratensis*, 340-341  
*A. rubescens*, 338-342  
*A. trivialis*, 340  
*A. spinoletta*, see *A. rubescens*  
*Apalpteron familiare*, 286 (r)  
*Apheilocoma coerulescens*, 94-95  
*A. adalberti*, 181-190, 186-187, 189  
*Aquila chrysaetos*, 46, 383  
*Athene cunicularia*, 239  
*Aythya affinis*, 325-334  
*Aythya ferina*, 281-282 (r)  
Bananaquit, see *Coereba flaveola*  
*Basileuterus bivittatus*, 168  
Bee-eater, Rainbow, see *Merops ornatus*  
Bittern, Least, see *Ixobrychus exilis*  
Blackbird, Red-winged, see *Agelaius phoeniceus*  
    Yellow-headed, see *Xanthocephalus xanthocephalus*  
Bluebird, Eastern, see *Sialia sialis*  
Bobwhite, Northern, see *Colinus virginianus*  
*Bombycilla cedrorum*, 112  
*Branta canadensis*, 373, 376  
*Bubo bubo*, 281 (r), 287 (r)  
*Buteo buteo*, 187-188  
*B. jamaicensis*, 61, 65  
*B. lagopus*, 373  
*B. regalis*, 383  
*Butorides lineatus*, 61-62, 65  
*B. striatus*, 196  
*B. virescens*, 62, 65  
Buzzard, Common, see *Buteo buteo*  
*Calcarius lapponicus*, 376  
*Calidris alpina*, 357-366  
*C. pusilla*, 19  
*Caprimulgus carolinensis*, 102  
Cardinal, Northern, see *Cardinalis cardinalis*  
*Cardinalis cardinalis*, 30, 33, 60-61, 62, 65, 102, 354  
*Carduelis cannabina*, 281 (r)  
*C. tristis*, 110, 113, 200-203, 256-259  
*Carpodacus mexicanus*, 256  
*Casmerodius albus*, 63, 65  
Catbird, Gray, see *Dumetella carolinensis*  
*Cathartes arus*, 319-324  
*Catharus ustulatus*, 63, 65, 112, 114  
*Cercotrichas podobe*, 286 (r)  
*Chaetura pelagica*, 63, 65  
Chaffinch, see *Fringilla coelebs*  
*Charadrius alexandrinus*, 245-255  
*C. vociferus*, 101-102  
Chat, Boulder, see *Pinarornis plumosus*  
*Chen caerulescens*, 373, 376  
Chickadee, Black-capped, see *Parus atricapillus*  
    Carolina, see *P. carolinensis*  
Chicken, Greater Prairie-, see *Tympanuchus cupido*  
*Chloropsis*, 286 (r)  
*Chondrohierax uncinatus*, 285 (r)  
*Chordeiles minor*, 101-104  
*Ciccaba virgata*, 239-244  
*Cichlerminia thermiineri*, 286 (r)  
*Cichlopsis leucogenys*, 169  
*Ciconia nigra*, 150  
*Cinclus cinclus*, 285 (r)  
*Circaetus gallicus*, 187  
*Circus cyaneus*, 197, 373, 383  
*Cistothorus palustris*, 198  
*Coccyzus americanus*, 61-62, 65, 102

- Coereba flaveola*, 345–346  
*Colaptes auratus*, 30, 63, 65  
*Colinus virginianus*, 288 (r)  
*Columba fasciata*, 94  
*C. livia*, 149, 236, 279, 284–285 (r), 285 (r)  
*Contopus nigrescens*, 169  
*C. virens*, 61, 65, 109, 112  
*Coragyps atratus*, 173–176  
 Cormorant, Bank see *Phalacrocorax neglectus*  
     Double-crested, see *P. auritus*  
*Corvus brachyrhynchos*, 80, 82, 132–138  
*C. caurinus*, 137  
*C. corax*, 148, 339, 373  
*C. frugilegus*, 133  
*C. ossifragus*, 61, 65, 197  
 Cowbird, Brown-headed, see *Molothrus ater*  
 Crane, Florida Sandhill, see *Grus canadensis pratensis*  
     Sandhill, see *G. canadensis*  
 Crossbill, Red, see *Loxia curvirostra*  
*Crotophaga ani*, 177  
*C. scirostris*, 177, 179  
 Crow, American, see *Corvus brachyrhynchos*  
     Fish, see *C. ossifragus*  
     Northwestern, see *C. caurinus*  
 Cuckoo, Guira, see *Guira guira*  
     Yellow-billed, see *Coccyzus americanus*  
 Curassow, Helmeted, see *Pauxi pauxi*  
     Horned, see *Pauxi unicornis*  
*Cyanocitta cristata*, 30, 61, 65, 102, 107, 109–112  
*Cyanocorax cristatellus*, 179  
*Cygnus buccinator*, 373  
*C. columbianus*, 373  
*C. spp.*, 373  
*Dendragapus canadensis*, 280 (r)  
*Dendroica discolor*, 61, 65, 340  
*D. dominica*, 61–62, 65  
*D. magnolia*, 110, 112, 114  
*D. pensylvanica*, 110, 112, 114  
*D. petechia*, 110, 112, 114  
*D. pinus*, 60–61, 65, 102  
*D. tigrina*, 30  
 Dickcissel, see *Spiza americana*  
*Dicrurus megarhynchus*, 388  
 Dipper, see *Cinclus cinclus*  
 Dove, Mourning, see *Zenaida macroura*  
     Zenaida, see *Z. aurita*  
 Drongo, Spangled, see *Dicrurus megarhynchus*  
*Dryocopus pileatus*, 61–62, 64–65, 102  
 Duck, Wood, see *Aix sponsa*  
*Ducula bicolor*, 286 (r)  
*D. constans*, 286 (r)  
*D. luctosa*, 286 (r)  
*D. subflavescens*, 286 (r)  
*Dumetella carolinensis*, 61–62, 65, 109, 111–112, 114, 148  
 Dunlin, see *Calidris alpina*  
 DUNNOCK, see *Prunella modularis*  
 Eagle, Bald, see *Haliaeetus leucocephalus*  
     Bonelli's, see *Hieraetus fasciatus*  
     Crowned Hawk-, see *Stephanoaetus coronatus*  
 Eagle, see *Bubo bubo*  
     Golden, see *Aquila chryaetos*  
     Spanish Imperial, see *A. adalberti*  
 Egret, Great, see *Casmerodius albus*  
     Little, see *Egretta garzetta*  
     Snowy, see *E. thula*  
*Egretta caerulea*, 63–65, 79–81  
*E. garzetta*, 78–79  
*E. thula*, 79–81  
*E. tricolor*, 79–81  
 Elaenia, Slaty, see *Elaenia strepera*  
*Elaenia strepera*, 162–172  
*Empidonax alnorum*, 69–76, 149, 260–270, 308–311  
*E. flaviventris*, 69–76, 261–262, 266, 268–269  
*E. minimus*, 69–76, 109, 112, 114, 149, 261–262, 266, 268–269  
*E. traillii*, 109, 112, 114, 308–313  
*E. traillii*, 69–76, 149, 260–270  
*E. virescens*, 61–62, 65, 149  
*Entozymon cyanotis*, 388  
*Eremophila alpestris*, 193  
*Eudocimus albus*, 62, 65  
*Falco mexicanus*, 191–194  
*F. tinnunculus*, 187  
 Falcon, Prairie, see *Falco mexicanus*  
 Fantail, Grey, see *Rhipidura fuliginosa*  
*Ficedula hypoleuca*, 150, 212, 280 (r), 281 (r)  
 Finch, Citril, see *Serinus citrinella*  
     House, see *Carpodacus mexicanus*  
 Flicker, Common, see *Colaptes auratus*  
 Flycatcher, Acadian, see *Empidonax virescens*  
     Alder, see *E. alnorum*  
     Crowned, see *P. coronatus*  
     Fork-tailed, see *T. savana*  
     Great Crested, see *M. crinitus*  
     Leaden, see *M. rubellica*  
     Least, see *E. minimus*  
     Pied, see *Ficedula hypoleuca*  
     Restless, see *Myiagra inquieta*  
     Satin, see *Myiagra cyanoleuca*  
     Traill's, see *E. traillii*, and *E. alnorum*  
     Willow, see *E. traillii*  
     Yellow-bellied, see *E. flaviventris*  
 Fowl, Domestic, see *Gallus domesticus*  
*Fraseria cinerascens*, 286 (r)  
*F. ocreata*, 286 (r)

- Fratercula arctica*, 287 (r)  
 Friarbird, Little, see *Philemon citreogularis*  
 Silver-Crowned, see *P. argenteiceps*  
*Fringilla coelebs*, 281 (r)  
 Gadwall, see *Anas strepera*  
*Gallinula chloropus*, 196-197  
 Gallinule, Purple, see *Porphyryla martinica*  
*Gallus domesticus*, 23  
 Gannet, Cape, see *Morus capensis*  
*Geothlypis trichas*, 60-62, 64-65, 101-110, 112  
*Geranospiza caerulescens*, 403-406  
 Gnatcatcher, Blue-gray, see *Polioptila caerulea*  
 Goldfinch, American, see *Carduelis tristis*  
 Goose, Canada, see *Branta canadensis*  
 Greater White-fronted, see *Anser albifrons*  
 Snow, see *Chen caerulescens*  
 Goshawk, Northern, see *A. gentilis*  
 Grackle, Boat-tailed, see *Quiscalus major*  
 Common, see *Q. quiscula*  
 Great-tailed, see *Q. mexicana*  
*Grallina cyanoleuca*, 286 (r)  
 Grebe, Pied-billed, see *Podilymbus podiceps*  
 Grosbeak, Blue, see *Guiraca caerulea*  
 Rose-breasted, see *Pheucticus*  
 Grouse, Blue, see *Dendragapus obscurus*  
 Spruce, see *D. canadensis*  
*Grus canadensis pratensis*, 280 (r)  
*G. canadensis*, 372-373, 376  
*Guira guira*, 177-180  
*Guiraca caerulea*, 101-102, 104  
 Gull, Black-headed, see *Larus ridibundus*  
 California, see *L. californicus*  
 Franklin's, see *L. pipixcan*  
 Herring, see *L. argentatus*  
*Gymnorhinus cyanocephalus*, 94  
*Halcyon macleayii*, 388  
*H. sancta*, 387  
*Haliaeetus leucocephalus*, 49, 154, 373  
 Harriers, Northern, see *Circus cyaneus*  
 Hawk, Crane-, see *Geranospiza caerulescens*  
 Ferruginous, see *Buteo regalis*  
 Red-shouldered, see *Butorides lineatus*  
 Red-tailed, see *Buteo jamaicensis*  
 Rough-tailed, see *B. lagopus*  
 Sharp-shinned, see *Accipiter striatus*  
 Heron, Black-crowned Night-, see *Nycticorax nycticorax*  
 Little Blue, see *Egretta caerulea*  
 Green, see *Butorides virescens*  
 Green-backed, see *B. striatus*  
 Tricolored, see *Egretta tricolor*  
*Hieraetus fasciatus*, 183  
*H. pennatus*, 187  
*Hirundo rustica*, 151, 376  
 Honey-eater, Black-chinned, see *Melithreptus gularis*  
 Blue-faced, see *Entozymon cyanotis*  
 Brown, see *Lichmera indistincta*  
 New Holland, see *P. novaehollandiae*  
 Singing, see *Lichenostomas virescens*  
 Tawny-crowned, see *Phylidonyris melanops*  
 White-gaped, see *Meliphaga unicolor*  
 White-naped, see *Melithreptus lunatus*  
 White-plumed, see *Lichenostomas penicillatus*  
 White-throated, see *Melithreptus albugularis*  
 Yellow-faced, see *Lichenostomas chrysops*  
*Humblotia flavivrostris*, 286 (r)  
*Hylocichla mustelina*, 63, 65, 112, 114, 336  
*Hypergerus articeps*, 286 (r)  
 Ibis, White, see *Eudocimus albus*  
*Icterus galbula*, 109, 113  
*I. spurius*, 61, 65  
*Irania gutturalis*, 286 (r)  
*Ixobrychus exilis*, 196-197  
 Jay, Blue, see *Cyanocitta cristata*  
 Curl-crested, see *Cyanocorax cristatellus*  
 Pinyon, see *Gymnorhinus cyanocephalus*  
*Junco hyemalis*, 351-354  
*J. phaeonotus*, 283 (r)  
 Junco, Dark-eyed, see *Junco hyemalis*  
 Yellow-eyed, see *J. phaeonotus*  
 Killdeer, see *Charadrius vociferus*  
 Kingbird, Eastern, see *Tyrannus tyrannus*  
 Giant, see *T. cubensis*  
 Gray, see *T. dominicensis*  
 Loggerhead, see *T. caudifasciatus*  
 Tropical, see *T. melancholicus*  
 Kingfisher, Forest, see *Halycon macleayii*  
 Sacred, see *Halcyon sancta*  
 Kinglet, Ruby-crowned, see *Regulus calendula*  
 Kite, Black, see *Milvus migrans*  
 Hook-billed, see *Chondrohierax uncinatus*  
 Lark, Horned, see *Eremophila alpestris*  
*Larus argentatus*, 231  
*L. californicus*, 282 (r)  
*L. pipixcan*, 373, 376  
*L. ridibundus*, 281 (r)  
*Lichenostomas chrysops*, 388  
*L. penicillatus*, 388  
*L. virescens*, 387  
*Lichmera indistincta*, 378  
 Linnet, see *Carduelis cannabina*  
*Lioptilornis rufocinctus*, 286 (r)  
 Longspur, Lapland, see *Calcarius lapponicus*  
*Loxia curvirostra*, 94  
 Magpie, Black-billed, see *Pica pica*

- Mallard, see *Anas platyrhynchos*  
*Manorina melanocephala*, 388  
*Margarops fuscatus*, 345–346  
Meadowlark, Eastern, see *Sturnella magna*  
Western, see *S. neglecta*  
*Melanerpes carolinus*, 30, 61–62, 65, 97, 101–102, 103–104, 230–238  
*M. formicivorus*, 94–95, 177  
*Meleagris gallopavo*, 23, 61, 65  
*Meliphaga unicolor*, 388  
*Melithreptus albogularis*, 388  
*M. gularis*, 388  
*M. lunatus*, 387  
*Melospiza melodia*, 113  
*M. georgiana*, 113  
*M. lincolni*, 113  
*Merops ornatus*, 387  
*Microthene whitneyi*, 239  
*Milvus migrans*, 185, 187–188  
*M. milvus*, 187  
*Mimus polyglottos*, 30  
Miner, Noisy, see *Manorina melanocephala*  
Mockingbird, Northern, see *Mimus polyglottos*  
*Molothrus ater*, 200–203, 305  
Moorhen, Common, see *Gallinula chloropus*  
*Morus capensis*, 148  
*Motacilla grandis*, 283 (r)  
Murre, Common, see *Uria aalge*  
*Mycteria americana*, 78  
*Myiagra cyanoleuca*, 388  
*M. inquieta*, 387  
*M. rubellca*, 388  
*Myiarchus crinitus*, 28, 60–62, 65–66, 97, 101–105  
*Neophron percnopterus*, 183, 320–324  
*Nesocichla eremita*, 286 (r)  
*Nicator chloris*, 286 (r)  
Nighthawk, Common, see *Chordeiles minor*  
Night-Heron, Black-crowned, see *Nycticorax nycticorax*  
Nuthatch, Brown-headed, see *Sitta pusilla*  
European, see *S. europaea*  
White-breasted, see *S. carolinensis*  
*Nycticorax nycticorax*, 197  
*Oporornis formosus*, 336  
Oriole, Orchard, see *Icterus spurius*  
Northern, see *I. galbula*  
Osprey, see *Pandion haliaetus*  
Ostrich, see *Struthio camelus*  
*Otus asio*, 239, 241  
*O. kennicottii*, 239  
Ovenbird, see *Seiurus aurocapillus*  
Owl, Barred, see *Strix varia*  
Burrowing, see *Athene cunicularia*  
Eastern Screech, see *Otus asio*  
Elf, see *Microthene whitneyi*  
Great Gray, see *S. nebulosa*  
Mottled, see *Ciccaba virgata*  
Spotted, see *S. occidentalis*  
Western Screech, see *O. kennicottii*  
*Oxyruncus cristatus*, 169  
*Pandion haliaetus*, 63, 65, 279 (r)  
Parrot, Bahama, see *A. leucocephala bahamensis*  
Cuban, see *Amazona leucocephala*  
Parula, Northern, see *Parula americana*  
*Parula americana*, 60–62, 65  
*Parus ater*, 212  
*P. atricapillus*, 256  
*P. bicolor*, 31, 61–62, 65, 102, 305  
*P. carolinensis*, 61–62, 65, 305  
*P. major*, 280 (r), 288 (r)  
*Passer domesticus*, 30, 256  
*P. montanus*, 280 (r)  
*Passerella iliaca*, 258  
*Pauxi pauxi*, 168  
*P. unicornis*, 168  
Penguin, African, see *Spheniscus demersus*  
Chinstrap, see *Pygoscelis antarctica*  
Magellanic, see *Spheniscus magellanicus*  
Pewee, Blackish, see *Contopus nigrescens*  
Eastern Wood-, see *C. virens*  
*Phaethon aethereus*, 345–347  
*Phalacrocorax auritus*, 83–93  
*Phasianus demersus*, 231  
Pheasant, Ring-necked, see *Phasianus demersus*  
*Pheucticus ludovicianus*, 112  
*Philemon citreogularis*, 388  
*P. argenteiceps*, 388  
*Philohela minor*, 230, 236  
*Phoenicurus phoenicurus*, 281 (r)  
*Phylidonyris melanops*, 387  
*P. novaehollandiae*, 387  
*Pica pica*, 133  
*Picoides borealis*, 61, 65  
*P. pubescens*, 61–62, 65, 256  
*P. albolarvatus albolarvatus*, 150  
Pigeon, Band-tailed, see *Columba fasciata*  
Feral, see *C. livia*  
Homing, see *C. livia*  
Pied Imperial, see *Ducula bicolor*  
*Pinarornis plumosus*, 286 (r)  
Pintail, Northern, see *Anas acuta*  
*Pipilo erythrophthalmus*, 60–61, 64–65, 97, 101–102, 104–105  
Pipit, American, see *Anthus rubescens*  
Meadow, see *A. pratensis*  
Tree, see *A. trivialis*  
*Piranga rubra*, 61, 65, 97, 101–102, 104–105  
Plover, Snowy, see *Charadrius alexandrinus*

- Pochard, see *Aythya ferina*  
*Podilymbus podiceps*, 196-198  
*Polioptila caerulea*, 63, 65  
*Porphyrio porphyrio melanotus*, 178  
*Porphyryula martinica*, 63, 65  
*Protonotaria citrea*, 61-62, 64-66, 299-307  
*Prunella modularis*, 282-283 (r)  
*Pseudocossyphus imerinus sharpei*, 286 (r)  
Puffin, Atlantic, see *Fratercula arctica*  
Pukeko, see *Porphyrio porphyrio melanotus*  
*Pygoscelis antarctica*, 293-298  
*Quiscalus major*, 196-198  
*Q. mexicana*, 336  
*Q. quiscula*, 30, 33, 61-62, 65, 198, 376  
Rail, Clapper, see *Ranus longirostris*  
*Ranus longirostris*, 152  
Raven, Common, see *Corvus corax*  
Razorbill, see *Alca torda*  
Redpoll, see *Carduelis flammea*  
Redstart, see *Phoenicurus phoenicurus*  
    American, see *Setophaga ruticilla*  
*Regulus calendula*, 109, 111-112, 114  
*Rhipidura fuliginosa*, 387  
*R. leucophrys*, 387  
*Riparia riparia*, 148  
Robin, American, see *Turdus migratorius*  
Sandpiper, Semipalmated, see *Calidris pusilla*  
*Seiurus aurocapillus*, 110, 112, 114  
*S. noveboracensis*, 110, 114  
*Serinus citrinella*, 281 (r)  
*Setophaga ruticilla*, 30, 110, 112, 114  
Scaup, Lesser, see *Aythya affinis*  
Sharpbill, see *Oxyruncus cristatus*  
Shoveler, Northern, see *Anas clypeata*  
*Sialia sialis*, 97, 101-105, 152, 283-284 (r), 305  
Solitaire, Rufous-brown, see *Cichlopsis leucogenys*  
Sparrow, Botteri's, see *Aimophila botteri*  
    Chipping, see *Spizella passerina*  
    Field, see *S. pusilla*  
    Fox, see *Passerella iliaca*  
    Golden-crowned, see *Zonotrichia atricapilla*  
    House, see *Passer domesticus*  
    Lincoln's, see *Melospiza lincolni*  
    Song, see *M. melodia*  
    Swamp, see *M. georgiana*  
    Tree, see *Passer montanus*  
    White-crowned, see *Zonotrichia leucophrys*  
    White-throated, see *Z. albicollis*  
*Spheniscus demersus*, 148, 231  
*S. magellanicus*, 204-210, 297  
Spinebill, Western, see *Acanthorhynchus superciliosus*  
*Spizella passerina*, 113  
*S. pusilla*, 113  
Starling, European, see *Sturnus vulgaris*  
*Stephanoetus coronatus*, 153  
*Sterna antillarum*, 230  
*S. elegans*, 280-281  
*S. hirundo*, 281 (r)  
*Sturnus vulgaris*, 30, 281 (r)  
Stork, Wood, see *Mycternia americana*  
    Black, see *Ciconia nigra*  
*Strix nebulosa*, 153  
*S. occidentalis*, 239  
*S. varia*, 61-62, 64-65, 241  
*Struthio camelus*, 177  
*Sturnella magna*, 101-103  
*S. neglecta*, 193  
*Sturnus vulgaris*, 256, 271  
Swallow, Bank, see *Riparia riparia*  
    Barn, see *Hirundo rustica*  
    Tree, see *Tachycineta bicolor*  
Swan, Trumpeter, see *Cygnus buccinator*  
    Tundra, see *C. columbianus*  
    Unidentified, see *C. spp.*  
Swift, Chimney, see *Chaetura pelagica*  
*Tachycineta bicolor*, 148, 211-217, 283-284 (r)  
Tanager, Summer, see *Piranga rubra*  
Teal, Blue-winged, see *Anas discors*  
Tern, California Least, see *Sterna antillarum*  
    Common, see *S. hirundo*  
    Elegant, see *S. elegans*  
*Thamnolaea coronata*, 286 (r)  
Thrasher, Brown, see *Toxostoma rufum*  
    California, see *T. redivivum*  
    Curve-billed, see *T. curvirostre*  
    Pearly-eyed, see *Margarops fuscatus*  
    Taylor, see *T. redivivum*  
Thrush, Wood, see *Hylocichla mustelina*  
    Swainson's, see *Catharus ustulatus*  
*Thryothorus ludovicianus*, 30, 60-62, 64-65, 102, 305  
Titmouse, Tufted, see *Parus bicolor*  
Tits, Coal, see *Parus ater*  
    Great, see *P. major*  
Towhee, Rufous-sided, see *Pipilo erythrophthalmus*  
*Toxostoma curvirostre*, 157-161  
*T. redivivum*, 159  
*T. rufum*, 30, 61, 65, 102, 157  
*Trochocercus cyanomelas*, 286 (r)

- T. nitens*, 286 (r)  
*Troglodytes aedon*, 112, 151, 281 (r), 283–284 (r)  
 Tropicbird, Red-billed, see *Phaethon aethereus*  
*Turdus migratorius*, 112, 271  
 Turkey, Domestic, see *Meleagris gallopavo*  
     Wild, see *Tyrannus caudifasciatus*  
*Tympanuchus cupido*, 378–385  
*Tyrannus caudifasciatus*, 119–120, 130  
*T. cubensis*, 119  
*T. dominicensis*, 117–131  
*T. melancholicus*, 119–120  
*T. savana*, 119  
*T. tyrannus*, 61–62, 65, 109, 112  
*Uria aalge*, 287 (r)  
 Veery, see *Catharus fuscescens*  
*Vermivora luciae*, 299  
*V. ruficapilla*, 110, 112, 114  
 Vireo, Red-eyed, see *Vireo olivaceus*  
     White-eyed, see *V. griseus*  
*Vireo griseus*, 61–62, 65, 102  
*V. olivaceus*, 60–62, 65, 109, 111–112, 114, 152  
 Vulture, Black, see *Coragyps atratus*  
     Egyptian, see *Neophron percnopterus*  
     Turkey, see *Cathartes aura*  
 Wagtail, Japanese, see *Motacilla grandis*  
 Willy, see *Rhipidura leucophrys*  
 Warbler, Cape May, see *Dendroica tigrina*  
     Chestnut-sided, see *D. pensylvanica*  
     Hooded, see *Wilsonia citrina*  
     Kentucky, see *Oporornis formosus*  
     Lucy's, see *Vermivora luciae*  
     Magnolia, see *D. magnolia*  
     Marsh, see *Acrocephalus palustris*  
     Nashville, see *Vermivora ruficapilla*  
     Pine, see *D. pinus*  
     Prairie, see *D. discolor*  
     Prothonotary, see *Protonotaria citrea*  
     Two-banded, see *Basileuterus bivittatus*  
     Yellow, see *D. petechia*  
     Yellow-throated, see *D. dominica*  
 Waterthrush, Northern, see *Seiurus noveboracensis*  
 Wattlebirds, Red, see *Anthochaera carunculata*  
 Waxwing, Cedar, see *Bombycilla cedrorum*  
 Widow, Chuck-will's, see *Caprimulgus carolinensis*  
*Wilsonia citrina*, 60–62, 65  
 Wood-Pewee, Eastern, see *Virens*  
 Woodcock, see *Philohela minor*  
 Woodpecker, Acorn, see *Melanerpes formicivorus*  
     Downy, see *Picoides pubescens*  
     Northern, White-headed, see *P. abolarvatus abolarvatus*  
     Pileated, see *Dryocoptus pileatus*  
     Red-bellied, see *M. carolinus*  
     Red-cockaded, see *P. borealis*  
 Wren, Carolina, see *Thryothorus ludovicianus*  
     House, see *Troglodytes aedon*  
     Marsh, see *Cistothorus palustris*  
*Xanthocephalus xanthocephalus*, 212  
 Yellowthroat, Common, see *Geothlypis trichas*  
*Zenaida aurita*, 345–346  
*Z. macroura*, 101–102, 104, 230, 271  
*Zonotrichia albicollis*, 40, 109, 111–113  
*Z. atricapilla*, 258  
*Z. leucophrys*, 282 (r), 351  
*Z. l. gambelii*, 282 (r)  
*Z. l. oriantha*, 282 (r)  
*Zosterops lateralis*, 387