

INDICES TO VOLUME 67

COMPILED BY MICHELLE CAWTHORN

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

- Adams, R. J., Jr., 201-202 (r)
Alatalo, R. V., 485 (r)
Alcántara, J. M., 592-603
Allan, R. S., 82-85
Alström, P., 493 (r)
Andreev, A. V., 188 (r)
Anderson, S. H., 190 (r)
Andersson, R., 489 (r)
Atalah, A., 490 (r)
Avery, M. L., 711-712 (r)
Backensto, S. A., 542-548
Baker, B. W., 708 (r)
Balda, R.P., 191 (r)
Ball-Wier, K., 352-353 (r)
Banbura, J., 343 (r)
Barbier, L., 349 (r)
Barclay, R. M. R., 275-280
Barnard, W. H., 252-253
Baumeister, W., 350 (r)
Baxter, G. S., 192 (r)
Baxter, G. S., 192 (r)
Becker, P. H., 442-446
Belant, J. L., 565-574
Bengtson, J. L., 1-9
Bennett, G. F., 484 (r)
Benvenuti, S., 188 (r)
Bergman, D. L., 167-176, 199 (r), 711-712 (r)
Berner, K. L., 344-345 (r)
Best, L. B., 200 (r), 495-496 (r)
Bevanger, K., 712 (r)
Bezzel, E., 488-489 (r)
Bidstrup, F. C., 710 (r)
Bierregaard, R. O., Jr., 495 (r)
Bignal, E. M., 25-43
Bin, L., 349-350 (r)
Bissonette, J. A., 691-697
Bittner, R. A., 343 (r)
Blanco, G., 428-433
Blankenship, B. A., 194 (r), 200 (r)
Bleier, W. J., 167-176, 199 (r)
Blixt, D. C., 167-176, 199 (r)
Boag, P. T., 707 (r)
Blokpoel, H., 698 (r)
Boates, J. S., 708-709 (r)
Bollinger, K. S., 141-158
Boon, M. D., 494 (r)
Bosch, M., 534-541
Bourland, T. R., 181-187
Boveng, P. L., 1-9
Bradshaw, D. S., 192 (r)
Breault, A. M., 704 (r)
Breen, T. F., 612-613
Brewer, R., 201-202 (r)
Briskie, J. V., 341-342 (r)
Brittingham, M. C., 406-413
Brown, K. M., 340 (r)
Brückner, R., 711 (r)
Brugger, K. E., 712 (r)
Bryant, D. M., 698-699 (r), 710 (r)
Burbridge, A. A., 703-704 (r)
Burge, L. J., 197 (r)
Butler, R. W., 197 (r), 704 (r)
Cade, B. S., 708 (r)
Cademartori, C. V., 349 (r)
Caithamer, D. F., 105-113
Campos, F., 343 (r)
Capen, D. E., 490 (r)
Cardiff, S. W., 118-140
Carlier, P., 703 (r)
Carter, W. A., 193 (r)
Chapman, B. R., 300-306
Chepeau, Y., 342 (r)
Church, K. E., 222-235
Clark, R. G., 344 (r), 549-557
Clout, M. N., 712-713 (r)
Conover, M. R., 691-697
Conway, C. J., 196 (r)
Coulson, J. C., 345 (r), 496-497 (r)
Cowie, R. J., 72-81
Craig, A. J. F. K., 358-359
Craig, J. L., 712-713 (r)
Crawford, R. J. M., 702 (r)
Crockford, N. J., 496-497 (r)
Croll, D. A., 1-9
Cuadrado, M., 196-197 (r)

- Culik, B. M., 350 (r)
 Custer, C. M., 86–99
 Custer, T. W., 86–99, 198 (r), 340 (r)
 Cyr, A., 351–352 (r)
 Daicker, B., 711 (r)
 Dall'Antonia, L., 188 (r)
 Dall'Antonia, P., 188 (r)
 Danielson, W. R., 414–421
 Darmstadt, C. H., 360–366
 Davies, W. E., Jr., 220–201 (r)
 Davis, W. H., 194 (r), 200 (r), 344 (r)
 Debus, S., 699 (r)
 Decker, D. G., 711–712 (r)
 DeGraaf, R. M., 414–421
 de Lope, F., 487–488 (r)
 de Melo, R. A., Jr., 189 (r)
 Delsaut, M., 349 (r)
 Derksen, D. V., 141–158
 Dey, R., 637–648
 Diehl, R. H., 59–71
 Diem, K. L., 191 (r), 519–524
 Dittami, J., 706–707 (r)
 Dittmann, D. L., 119–140
 Dolbeer, R. A., 565–574
 Drehmer, C. J., 349 (r)
 Dronen, N., O., 495 (r)
 Drovetskii, S. V., 188 (r)
 Dryer, B. M., 702 (r)
 Duffy, D. C., 199 (r)
 Duncan, C. D., 254–262
 Dunlop, J. N., 707–708 (r)
 Dzus, E. H., 549–557
 Eddleman, W. R., 708 (r)
 Eens, M., 487 (r)
 Elmberg, J., 484–485 (r)
 Eltzroth, E., 494 (r)
 Estades, C. F., 492 (r), 492–493 (r)
 Estelle, V. B., 447–452
 Evrard, J. O., 453–455
 Ewins, P. J., 698 (r)
 Fairweather, J. A., 345 (r)
 Farmer, A. H., 447–452
 Favero, M., 292–299
 Fisher, D. L., 200 (r)
 Flores, R. E., 708 (r)
 Fontana, C. S., 349 (r)
 Ford, H. A., 699 (r)
 Ford, N. L., 10–16
 Forsman, E. D., 177–180, 507–510
 Fotheringham, J. R., 342–343 (r)
 Franklin, A. B., 507–510
 Franson, J. C., 198 (r)
 Frink, L., 352–353 (r)
 Fulai, L., 349–350 (r)
 Fuller, P. J., 703–704 (r)
 Fuller, T. K., 414–421
 Furness, R. W., 710 (r)
 Gabrey, S. W., 327–339
 Galeotti, P., 700 (r)
 Galleli, H., 17–24
 Gallo, A., 704 (r)
 Garrettson, P. R., 355–357
 Gates, R. J., 105–113
 Gilardi, J. D., 44–47
 Giraldeau, L., 701–702 (r)
 Glück, E., 488 (r)
 Goebel, M. E., 1–9
 González, P. M., 575–591
 Gosler, A. G., 485 (r)
 Granfors, D. A., 222–235
 Green, D. A., 700 (r)
 Green, E., 189–190 (r)
 Green, W. L., 392–397
 Greenberg, R., 489 (r)
 Greenwood, J. J. D., 485 (r)
 Grémillet, D., 637–648
 Gutierrez, J. R., 491–492 (r)
 Guzman, L., 490 (r)
 Haas, C. V., 194–195 (r)
 Haberk, W., 701 (r)
 Harris, M. P., 637–648
 Haskell, D. J., 346–347 (r)
 Hasselquist, D., 196–197 (r)
 Hatch, J. J., 711 (r)
 Hatfield, J. S., 159–166
 Hein, E. W., 604–611
 Hein, W. S., 604–611
 Heldstab, A., 711 (r)
 Hicklin, P. W., 708–709 (r)
 Hill, D. P., 275–280
 Hines, R. K., 340 (r)
 Hohtola, E., 198 (r)
 Hoi, H., 486–487 (r), 706–707 (r)
 Hoi-Leitner, M., 486–487 (r)
 Hōrak, P., 485–486 (r)
 Horn, R. B., 177–180
 Houston, D. C., 340–341 (r)
 Hovekamp, N. R., 376–383
 Hovi, M., 341 (r), 485 (r)
 Huddle, H., 484 (r)
 Hull, S. D., 195 (r)
 Hulley, P. E., 358–359
 Hunt, H. E., 511–518
 Hurst, G. A., 181–187
 Hussell, D. J. T., 614–622
 Hutto, R. L., 346 (r)
 Igl, L. D., 348 (r)
 Ignatiuk, J. B., 344 (r)
 Ille, R., 706–707 (r)
 Ingold, D. J., 321–326
 Ioale, P., 188 (r)
 Jackson, J. A., 200–201 (r)
 Jaksic, F. M., 491–492 (r), 492 (r), 494 (r)
 Jansen, J. K. 1–9

- Jehl, J. R., Jr., 471-476
 Jengrong, W., 349-350 (r)
 Jenni, L., 263-274
 Johnson, A. R., 704 (r)
 Johnson, D. H., 348 (r)
 Johnson, L. S., 212-221
 Johnson, M. D., 44-47
 Johnstone, R. E., 707-708 (r)
 Jones, C. M., 511-518
 Kattan, G. H., 434-441
 Keast, A., 702-703 (r)
 Kemp, K. E., 195 (r)
 Kempnaers, B., 487 (r)
 Kenow, K. P., 392-397, 649-659
 Kepler, C. B., 159-166
 Kern, M. D., 72-81
 Kilgo, J. C., 300-306
 Kilpi, M., 348 (r)
 Kimball, A. J., 367-375
 King, D. T., 205-211
 Kirk, D. A., 340-341 (r)
 Kleindorfer, S., 706-707(r)
 Klicka, J. T., 236-251
 Knick, S. T., 489-490 (r)
 Knittle, C. E., 711-712 (r)
 Kochert, M. N., 499-506, 680-690
 Koenen, M. T., 281-291
 Koford, R. R., 660-668
 Korpimäki, E., 347 (r)
 Korschgen, C. E., 392-397
 Krebs, E. A., 700 (r)
 Kullberg, S., 342 (r)
 Kuyt, E., 709 (r)
 Larivee, J., 351-352 (r)
 Larkin, R. P., 59-71
 Laurenti, S., 17-24
 Lazo, I., 490-491 (r), 494 (r), 496(r)
 Le Drean-Quenec'hdu, S., 342 (r)
 Lehman, R. N., 680-690
 Leivits, A., 485-486 (r)
 Lekuona, J.-M., 343 (r)
 Lemon, R. E., 698 (r)
 Lent, R. A., 490 (r)
 Leslie, D. M., Jr., 281-291
 Leuenberger, M., 263-274
 Lieser, M., 700-701 (r)
 Lingyun, L., 349-350 (r)
 Linz, G. M., 167-176, 199 (r), 711-712 (r)
 Lish, J. W., 197 (r)
 Lokemoen, J. T., 660-668
 Lopez-Calleja, M. V., 493 (r)
 Luna-Jorquera, G., 350 (r)
 Lundberg, A., 485 (r)
 Mabee, T. J., 447-452
 Macedo, R. H., 192 (r)
 Mänd, R., 485-486 (r)
 Mangus, W. L., 708 (r)
 Marquiss, M., 192-193 (r)
 Martinez, J. G., 345 (r), 705 (r)
 Marti, C. D., 499-506
 Martin, K., 709 (r)
 Maruyama, N., 701 (r)
 Marzluff, J. M., 680-690
 Mawhinney, K., 708-709 (r)
 McCaw, J. C., III, 669-679
 McCracken, D. I., 25-43
 McGehee, S. M., 630-636
 McIntyre, M. E., 195 (r)
 McKelvey, K., 190-191 (r)
 McMillen, J. L., 708 (r)
 McPeck, G. A., 201-202 (r)
 Meger, D. E., 344 (r)
 Mellink, E., 48-58
 Meserve, P. L., 491-492 (r)
 Metz, K. J., 484 (r)
 Miller, J. B., 477-483
 Miller, K. V., 300-306
 Møller, A. P., 341-342 (r), 345 (r), 705 (r)
 Morris, S. R., 456-462
 Morrison, J. L., 630-636
 Moul, I. E., 704 (r)
 Mountjoy, D. J., 698 (r)
 Muma, K. E., 484 (r)
 Murphy, K., 188 (r)
 Murphy, M. E., 494-495 (r)
 Murua, R., 491 (r)
 Nagel, R., 442-446
 Nechtelberger, H., 486-487 (r)
 Newton, A. V., 698-699 (r)
 Nichols, J. D., 196 (r)
 Nietfeld, M., 488 (r)
 Nummi, P., 189 (r), 484-485 (r)
 Nunez, H., 490-491 (r)
 Oakley, M., 706 (r)
 O'Connell, A. F., Jr., 422-427
 O'Grady, D. R., 275-280
 Oliver, F. M., 507-510
 Olsson, U., 493 (r)
 Olsson, V., 486 (r)
 Oniki, Y., 189 (r), 387-391
 Oring, L. W., 307-320
 Ortega, C. P., 542-548
 Ortega, J. C., 542-548
 Ortiz, J. S., 489 (r)
 Ostrand, W. D., 691-697
 Ots, I., 485-486 (r)
 Otter, K., 398-405
 Ovenden, G. N., 25-43
 Owens, R., 703-704 (r)
 Pacejka, A. J., 558-564
 Pagan, O., 711 (r)
 Page, G. W., 710 (r)
 Palacios, E., 48-58
 Parrish, J. W., Jr., 612-613

- Parsons, K. C., 347–348 (r)
 Patterson, M. P., 495–496 (r)
 Pavan, G., 700 (r)
 Pavelka, M. A., 711–712 (r)
 Pendleton, G. W., 709 (r)
 Perrins, C., 485 (r)
 Peterjohn, B. G., 709 (r)
 Picman, J., 705–706 (r)
 Piersma, T., 575–591
 Pigott, K., 623–629
 Pinxten, R., 487 (r)
 Pogue, D. W., 193 (r)
 Powell, G. V. N., 196 (r)
 Pöysä, H., 189 (r), 484–485 (r)
 Pravosudov, V. V., 114–118
 Pravosudova, E. V., 114–118
 Pribil, S., 705–706 (r)
 Pugsek, B. H., 191 (r), 519–524
 Pyornila, A., 198 (r)
 Raim, A., 59–71
 Ramos, R. A., 349 (r)
 Rampazzi, F., 263–275
 Rapp, C. A., 542–548
 Rask, M., 189 (r)
 Ratoliffe, L., 342–343 (r)
 Ratti, O., 485
 Redfern, C. P. F., 711 (r)
 Regel, J., 637–648
 Reid, J. A., 177–180
 Remsen, J. V., Jr., 119–140
 Renken, R. B., 704–705 (r)
 Rey, P. J., 592–603
 Rhodes, O. E., 494 (r)
 Rimmer, C. C., 360–366
 Rintamaki, H., 198 (r)
 Rivera-Milan, F. E., 340 (r)
 Robel, R. J., 195 (r)
 Robinson, J. A., 307–320
 Rodriguez, E. F., 519–524
 Rohwer, F. C., 355–357
 Rosgen, D., 188 (r)
 Rotenberry, J. T., 489–490 (r)
 Rusch, D. H., 649–659
 Rusch, T. P., 100–104
 Samuel, M. D., 392–397
 Sánchez-Lafuente, A. M., 592–603
 Sargent, R. A., 300–306
 Sato, N., 701 (r)
 Sauer, J. R., 709 (r)
 Schantz, T. V., 706 (r)
 Schieck, J., 488 (r)
 Schlatter, R. P., 491 (r)
 Schlenker, R., 350 (r)
 Schleucher, E., 699–700 (r)
 Schmid, J. L., 495 (r)
 Schneider, R., 345–346 (r)
 Schneider, T., 194 (r)
 Schreiber, E. A., 195–196 (r)
 Scolaro, J. A., 17–24
 Scopel, E. T., 189 (r)
 Seginak, J. T., 159–166
 Seming, S., 349–350 (r)
 Semm, P., 194 (r)
 Servello, F. A., 422–427
 Sheldon, D. E., Jr., 193–194 (r)
 Sheppard, J. M., 384–386
 Shutler, D., 484 (r)
 Siikamaki, P., 193 (r)
 Sileo, L., 392–397
 Silva-Aranguiz, E., 492 (r), 496 (r)
 Simens, D. H., 189–190 (r)
 Sims, R. A., 198–199 (r)
 Sjöberg, K., 484–485 (r)
 Smith, C., 352–353 (r)
 Smith, H. G., 706 (r)
 Smith, J. W., 704–705 (r)
 Smith, L. M., 222–235
 Smith, R. D., 192–193 (r)
 Soler, J. J., 345 (r), 705 (r)
 Soler, M., 345 (r), 705 (r)
 Solís, J. C., 487–488 (r)
 Solonen, T., 196 (r)
 Soulliere, G. J., 100–104
 Squires, J. R., 190 (r)
 Stauss, M. J., 488 (r)
 St. Clair, C. C., 707 (r)
 St. Clair, R. C., 707 (r)
 Steenhof, K., 680–690
 Steiner, R. L., 669–679
 Stelfox, J. B., 488 (r)
 Stenzel, E., 710 (r)
 Stillman, R. A., 25–43
 Stotz, N. G., 191 (r)
 Stouffer, P. C., 495 (r)
 Straka, U., 713 (r)
 Sweet, M. H., 495 (r)
 Swenson, J. E., 188 (r)
 Sykes, P. W., Jr., 159–166
 Tabilo, E. L., 491–492 (r)
 Tacha, T. C., 105–113
 Taruscio, T. G., 494–495 (r)
 Tavares, A. E., 349 (r)
 Tegelstrom, H., 485 (r)
 Tella, J., 428–433
 Temple, S. A., 406–413
 Templeton, J. J., 701–702 (r)
 Thalau, H. P., 194 (r)
 Thayer, P., 350–351 (r)
 Thomas, L., 709 (r)
 Thompson, C. F., 558–564
 Tiebout, H. M., 712 (r)
 Tolonen, P., 347 (r)
 Torre, I., 428–433
 Torres-Contreras, H., 492 (r)

- Tourenq, C., 704 (r)
Utych, R. B., 281-291
Valkama, J., 347 (r)
van den Brink, N. W., 623-629
Vekasy, M. S., 680-690
Venegas, C., 490 (r)
Verkuil, Y., 575-591
Villard, P., 190 (r)
Voelker, G., 236-252
Waas, J. R., 707 (r)
Wachob, D. G., 525-533
Wanless, S., 637-648
Ward, A., 349 (r)
Ward, J. P., Jr., 190-191 (r), 507-510
Warkentin, I. G., 489 (r)
Warriner, J. C., 710 (r)
Warriner, J. S., 710 (r)
Watts, B. D., 192 (r)
Weatherhead, P. J., 484 (r)
Wendeln, H., 442-446
Wennerberg, L., 706 (r)
Weseloh, D. V., 698 (r)
Whitcomb, S. D., 422-427
White, D. H., 159-166
Whitehead, P. E., 704 (r)
Whitingham, M. J., 463-470
Willis, E. O., 189 (r)
Wilson, K. S., 710 (r)
Wilson, R. R., 82-85
Wiltchko, W., 194 (r), 346 (r)
Winker, K., 236-251
Witham, J. W., 367-375
Wood, L. D., 487 (r)
Yanez, J., 490-491 (r)
Zabel, C. J., 190-191 (r)
Zahavi, A., 188-189 (r)
Zielinski, P., 343 (r)
Zimireva, E. Y., 114-118
Zingo, J. M., 188 (r)
Zwank, P. J., 669-679

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Accentor*, Hedge, see *Prunella modularis*
Accipiter cooperii, 164
A. gentilis, 463
A. nisus, 485 (r)
A. striatus, 162, 164, 254-262
Acrocephalus arundinaceus, 707 (r)
A. melanopogon, 707 (r)
A. palustris, 707 (r)
A. schoenobaenus, 266-267, 270
A. scirpaceus, 266-268, 270-271, 440, 707 (r)
Actitis macularia, 316
Aegithalos caudatus, 268
Aegolius acadicus, 398-405
A. junereus, 15, 198 (r)
Agelaius phoeniceus, 162, 165, 167-176, 183, 185-186, 376-383, 439, 484 (r), 496 (r), 502, 665-667, 705-706 (r)
Agriornis spp., 494 (r)
Aix sponsa, 100-104, 554, 655
Amazilia fimbriata, 388
A. lactea, 388
A. versicolor brevirostris, 388
A. versicolor versicolor, 388
 Amazon
 White-fronted, see *Amazona albifrons*
 Yellow-naped, see *Amazona auropalliata*
Amazona spp., 510
A. albifrons, 45
A. auropalliata, 45
Ammodramus savanarum, 496 (r)
A. lecontei, 348 (r)
Anaïretes parulus, 492 (r)
Anas americana, 351 (r)
A. crecca, 484-485 (r)
A. discors, 355-357, 453-455
A. fulvigula maculosa, 495 (r)
A. platyrhynchos, 355, 396, 453-455, 484-485 (r), 606, 655, 666
A. rubripes, 396
Anous stolidus, 523
A. tenuirostris, 23
Anthochaera carunculata, 699 (r)
Anthracothorax nigricollis, 387, 388
Anthus spp., 14
A. trivialis, 267, 271-272
Aphantochroa cirrlochloris, 388
Aphelocoma ultramarina, 189 (r)
Aphrastura spinicauda, 490 (r), 492 (r)
A. spinicauda, 491 (r)
Aphriza virgata, 586
Apus apus, 345 (r)
Aquila heliaca, 712 (r)
Archilochus colubris, 185-186
Ardea cinerea, 41, 343 (r)
A. herodias, 192 (r), 197 (r), 289, 340 (r), 704 (r)
Asio otus, 713 (r)
 Avocet
 American, see *Recurvirostra americana*
 Pied, see *Recurvirostra avosetta*
Aythya affinis, 86-99
A. americana, 86-99, 649-659
A. ferina, 87
A. fuligula, 87, 95, 96
A. marila, 86-99
A. valisineria, 86-99, 355, 392-397
 Babbler, Arabian, see *Turdoides squamiceps*
 Blackbird
 Red-winged, see *Agelaius phoeniceus*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
 Blackcap, see *Sylvia atricapilla*
 Bluebird
 Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucoides*
 Western, see *Sialia mexicana*
 Bobolink, see *Dolichonyx oryzivorus*
 Bobwhite, Northern, see *Colinus virginianus*
Bombycilla cedrorum, 162, 165
Bonasa bonasia, 188 (r)
 Brant
 Black, see *Branta bernicla*
 Pacific, see *Branta bernicla nigricans*
Branta bernicla, 141-158, 463, 555
B. bernicla nigricans, 141
B. canadensis interior, 105-113
B. leucopsis, 106, 111
B. sandvicensis, 497 (r)
Bubo virginianus, 164, 290, 491-492 (r), 499-506
Bubulcus ibis, 192 (r), 282, 287, 289, 347 (r), 442
Bucephala albeola, 86-99
B. clangula, 86-99, 189 (r)
 Bufflehead, see *Bucephala albeola*
 Bunting
 Indigo, see *Passerina cyanea*
 Lark, see *Calamospiza melanocorys*
 Snow, see *Plectrophenax nivalis*
Burhinus oediconemus, 487 (r), 488 (r)

- Buteo buteo*, 497 (r), 701 (r)
B. jamaicensis, 164, 197 (r), 290, 425, 504
B. jamaicensis calurus, 197 (r)
B. jamaicensis fuertesi, 197 (r)
B. jamaicensis harlani, 197 (r)
B. lineatus, 164, 184–185
 Buzzard, see *Buteo buteo*
Calamopsiza melanocorys, 660–668
Calcarius ornatus, 275–280
Calidris alba, 578
C. canutus rufa, 575–591
C. melanotos, 447–452
C. pusilla, 609, 708–709 (r)
C. tenuirostris, 587
Calliphlox amethystina, 388
Callipepla californicus, 502
 Canvasback, see *Aythya valisineria*
 Capercaillie, see *Tetrao urogallus*
Caracara plancus audubonii, 630–636
 Caracara, Crested, see *Polyborus plancus*
 Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 163, 165, 183–186, 304
Carduelis chloris, 268
C. flammea, 253
C. spinus, 267–268, 271–272, 488–489 (r)
C. tristis, 165
Carpodacus spp., 14
C. mexicanus, 162, 165
C. purpureus, 165
Casmerodius alba, 192 (r), 198 (r)
 Catbird, Gray, see 351 (r) see *Dumetella carolinensis*
Catharacta antarctica, 296–298
C. maccormicki, 298
C. lonnbergi, 491 (r)
Cathartes aura, 633
C. aura meridionalis, 340–341 (r)
C. aura ruficollis, 340–341 (r)
Catharus fuscescens, 408
C. guttatus, 163, 165
C. ustulatus, 245, 460
Catoptrophorus semipalmatus, 665
Certhia americana, 164
 Chaffinch, see *Fringilla coelebs*
Charadrius alexandrius, 15, 281–291, 710 (r)
C. a. alexandrius, 73
C. falklandicus, 578
C. melodus, 282, 451–452
C. vociferus, 665
 Chat, Yellow-breasted see *Icteria virens*
Chauna torquata, 349 (r)
 Chickadee
 Black-capped, see *Parus atricapillus*
 Boreal, see *Parus hudsonicus*
 Carolina, see *Parus carolinensis*
 Mountain, see *Parus gambeli*
Chionis alba, 292–299
C. minor, 295, 297–299
Chlidonias niger, 199 (r)
Chlorostilbon aureoventris, 388
 Chough, see *Pyrhhorax pyrrhorax*
Chrysolampis mosquitus, 388
Cinclodes patagonicus, 490 (r)
Cinclus cinclus, 698–699 (r)
C. mexicanus, 11, 14
Circus cyaneus, 278, 290, 504
Cistothorus palustris, 167–176
C. platensis, 202 (r), 496 (r)
Clamator glandarius, 345 (r), 439, 705 (r)
Clytolaema rubricauda, 388, 390
Coccothraustes vespertinus, 11, 162, 165
Coccyzus americanus, 183
Colaptes auratus, 164, 184–185, 321–326
Colibri serrirostris, 388
Colinus virginianus, 164
Colorrhaphus parvirostris, 492 (r)
Columba livia, 188 (r), 345 (r), 502
C. squamosa, 340 (r)
 Condor, California, see *Gymnopyps californianus*
Coragyps atratus, 45–46, 633
 Cormorant
 Bank, see *Phalacrocorax neglectus*
 Cape, see *Phalacrocorax capensis*
 Double-crested, see *Phalacrocorax auritus*
 Great, see *Phalacrocorax carbo*
Corvus brachyrhynchus, 164, 185–186, 278, 344 (r), 605
C. corax, 448, 497 (r), 711–712 (r)
C. ossifragus, 348 (r)
 Cowbird
 Brown-headed, see *Molothrus ater*
 Shiny, see *Molothrus bonariensis*
 Crane
 Greater Sandhill, see *Grus canadensis tabida*
 Whooping, see *Grus americana*
 Creeper, Brown, see *Certhia americana*
 Crow
 American, see *Corvus brachyrhynchus*
 Fish, see *Corvus ossifragus*
 Cuckoo
 Great Spotted, see *Clamator glandarius*
 Guira, see *Guira guira*
 Yellow-billed, see *Coccyzus americanus*
Cuculus canorus, 439
Curaeus curaesus, 490 (r), 492 (r)
 Curlew, Stone, see *Burhinus oedicnemus*
Cyanocitta cristata, 164, 185, 419
C. stelleri, 191 (r)
Cygnus buccinator, 190 (r)
C. columbianus bewickii, 106, 111
C. c. columbianus, 106, 111
Dacnis cayana, 189 (r)

- Dendragapus canadensis canadensis*, 422–427
D. c. franklinii, 422, 424
Dendrocopos major, 268
Dendroica caerulescens, 11, 12, 304
D. coronata, 12, 165
D. discolor, 11, 12, 14
D. dominica, 183–185
D. kirtlandii, 11, 14, 411
D. magnolia, 252–253, 456–462
D. pennsylvanica, 12
D. petechia, 11, 12, 13
D. pinus, 130, 163, 165
D. striata, 14
D. virens, 12
Dicaeum hirundinaceum, 703 (r)
 Dickcissel, see *Spiza americana*
 Dipper
 see *Cinclus cinclus*
 American, see *Cinclus mexicanus*
Diuca diuca, 493 (r)
Dolichonyx oryzivorus, 496 (r)
 Dove
 Diamond, see *Geopilia cuneata*
 Mourning, see *Zenaida macroura*
 Rock, see *Columba livia*
 Zenaida, see *Zenaida aurita*
Dryocopus pileatus, 164, 185–186
 Duck
 American Black, see *Anas rubripes*
 Mottled, see *Anas fulvigula maculosa*
 Ruddy, see *Oxyura jamaicensis*
 Tufted, see *Aythya fuligula*
 Wood, see *Aix sponsa*
Dumetella carolinensis, 351 (r)
 Eagle
 Bald, see *Haliaeetus leucocephalus*
 Imperial, see *Aquila heliaca*
 Egret
 Cattle, see *Bubulcus ibis*
 Great, see *Casmerodius alba*
 Intermediate, see *Egretta intermedia*
 Little, see *Egretta garzetta*
 Snowy, see *Egretta thula*
Egretta caerulea, 348 (r)
E. garzetta, 192 (r)
E. intermedia, 192 (r), 701 (r)
E. thula, 198 (r), 348 (r)
Elaenia albiceps, 490 (r)
Elanus caeruleus, 510
Emberiza schoeniclus, 268
Empidonax minimus, 408
E. virescens, 11, 12, 82, 84, 184–186, 406–413
Eremophila alpestris, 200 (r), 490 (r), 496 (r), 663
Erithacus rubecula, 267–268, 272, 346 (r)
Eudypetes schlegeli, 707 (r)
Eudypptula minor, 7
Eupetomena macroura, 388
Euphonia violacea, 189 (r)
Falco mexicanus, 680–690
F. peregrinus, 15, 345–346 (r)
F. peregrinus, 682, 703 (r)
F. punctatis, 497 (r)
F. sparverius, 194 (r), 290, 502
F. s. paulus, 612–613
F. s. sparverius, 612
F. tinnunculus, 347 (r)
 Falcon
 Peregrine, see *Falco peregrinus*
 Prairie, see *Falco mexicanus*
Ficedula hypoleuca, 10, 13, 14, 72–81, 193–194 (r), 268, 341 (r), 485 (r), 558
 Finch
 House, see *Carpodacus mexicanus*
 Purple, see *Carpodacus purpureus*
 Zebra, see *Taeniopygia guttata*
 Flamingo, Greater, see *Phoenicopterus ruber roseus*
 Flicker, Northern, see *Colaptes auratus*
 Flycatcher
 Acadian, see *Empidonax virescens*
 Great-crested, see *Myiarchus crinitus*
 Least, see *Empidonax minimus*
 Pied, see *Ficedula hypoleuca*
Fregatta tropica, 491 (r)
 Friarbird, Noisy, see *Philemon corniculatus*
Fringilla coelebs, 266–268, 271
Fulica americana, 502
 Fulmar, Southern, see *Fulmarus glacialis*
Fulmarus glacialis, 623–629
 Gannet, Cape, see *Morus capensis*
Garrulus glandarius, 266, 268
Geopilia cuneata, 699–700 (r)
Geothlypis trichas, 11, 162, 165, 185, 372, 496 (r)
Glaucidium nanum, 491 (r)
G. passerinum, 342 (r), 399
Glaucis dohrnii, 388
G. hirsuta, 388
 Gnatcatcher, Blue-gray, see *Poliophtila caerulea*
 Godwit, Marbled, see *Limosa fedoa*
 Goldeneye, Common, see *Bucephala clangula*
 Golden-Plover, European, see *Pluvialis aprincaris*
 Goldfinch, American, see *Carduelis tristis*
 Goose
 Barnacle, see *Branta leucopsis*
 Canada, see *Branta canadensis interior*
 Goshawk, see *Accipiter gentilis*
 Grackle
 Common, see *Quiscalus quiscula*
 Greater Antillean, see *Quiscalus niger*
 Grebe, Eared, see *Podiceps nigricollis*

- Grosbeak
 Blue, see *Guiraca caerulea*
 Evening, see *Coccothraustes vespertinus*
 Rose-breasted, see *Pheucticus ludovicianus*
- Grouse
 Hazel, see *Bonasa bonasia*
 Red, see *Lagopus lagopus scoticus*
 Spruce, see *Dendragapus canadensis canadensis*
- Grus americana*, 709 (r), 712 (r)
G. canadensis tabida, 708 (r)
Guira guira, 192 (r)
Guiraca caerulea, 185
- Gull
 Black-headed, see *Larus ridibundus*
 California, see *Larus californicus*
 Common, see *Larus canus*
 Glaucous, see *Larus hyperboreus*
 Great Black-backed, see *Larus marinus*
 Herring, see *Larus argentatus*
 Kelp, see *Larus dominicanus*
 Laughing, see *Larus atricilla*
 Ring-billed, see *Larus delawarensis*
 Ross's, see *Rhodostethia rosea*
 Slender-billed, see *Larus genei*
 Yellow-legged, see *Larus cachinnans*
- Gymnogyps californianus*, 60, 712 (r)
Gymnorhinus cyanocephalus, 191 (r)
Haliaeetus leucocephalus, 87, 510, 670, 704 (r)
- Harrier, Northern, see *Circus cyaneus*
- Hawk
 Cooper's, see *Accipiter cooperii*
 Fuertes Red-tailed, see *Buteo jamaicensis fuertesi*
 Harlan's Red-tailed, see *Buteo jamaicensis harlani*
 Red-shouldered, see *Buteo lineatus*
 Red-tailed, see *Buteo jamaicensis*
 Sharp-shinned, see *Accipiter striatus*
 Western Red-tailed, see *Buteo jamaicensis calurus*
- Heliomaster squamosus*, 388
Hemitriccus diops, 387
Henicorhina leucophrys, 245–246
H. leucophrys mexicana, 246
H. prosthaleuca, 244–245
H. [leucosticta] alexandri, 244
H. [L] darienensis, 244
H. [L] decolorata, 245
H. [L] pittieri/costaricensis, 245
H. [L] pittieri/darienensis, 245
H. [L] prosthaleuca, 236–251
H. [L] smithi, 245
H. [L] tropaea, 245
- Heron
 Great Blue, see *Ardea herodias*
 Gray, see *Ardea cinerea*
- Little Blue, see *Egretta caerulea*
Himantopus mexicanus, 307–320
Hirundo rustica, 343 (r)
 Hummingbird, Ruby-throated, see *Archilochus colubris*
Hylocharis chrysurus, 388
H. cyanus, 388
H. sapphirina, 388
Hylocichla mustelina, 183, 185, 196 (r), 202 (r), 408, 411
- Ibis
 Glossy, see *Plegadis falcinellus*
 Oriental Crested, see *Nipponia nippon*
- Icteria virens*, 130, 183–185
Icteria galbula, 351 (r)
I. g. bullockii, 11
I. spurius, 183
Iodirostrum poliocephalum, 387
- Jaeger
 Long-tailed, see *Stercorarius longicaudus*
 Parasitic, see *Stercorarius parasiticus*
 Pomarine, see *Stercorarius pomarinus*
- Jay
 Blue, see *Cyanocitta cristata*
 Eurasian, see *Garrulus glandarius*
 Gray, see *Perisoreus canadensis*
 Mexican, see *Aphelocoma ultramarina*
 Pinyon, see *Gymnorhinus cyanocephalus*
 Steller's, see *Cyanocitta stelleri*
- Junco hyemalis*, 165
 Junco, Dark-eyed, see *Junco hyemalis*
 Kakapo, see *Strigops habroptilus*
- Kestrel
 see *Falco tinnunculus*
 American, see *Falco sparverius*
 Mauritius, see *Falco punctatis*
- Killdeer, see *Charadrius vociferus*
- Kinglet
 Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
- Kite, Black-shouldered, see *Elanus caeruleus*
 Kittiwake, Black-legged, see *Rissa tridactyla*
- Knot, Great, see *Calidris tenuirostris*
 Red, see *Calidris canutus rufa*
- Lagopus lagopus*, 609
L. l. scoticus, 497 (r)
Lanius collurio, 363, 486 (r)
L. cristatus, 363
L. excubitor, 360–366
L. ludovicianus, 194 (r), 363
L. senator, 364
- Lark, Horned, see *Eremophila alpestris*
Larus argentatus, 327–339, 481, 522, 534, 572, 711 (r)
L. atricilla, 338, 348 (r), 565–574
L. cachinnans, 534–541, 704 (r)
L. c. michahellis, 535

- L. californicus*, 519–524
L. canus, 348 (r)
L. delawarensis, 282, 285, 287, 289, 327–339, 340 (r), 522–523, 566
L. dominicanus, 296–298, 491 (r)
L. genei, 572
L. hyperboreus, 448
L. marinus, 348 (r), 481, 572
L. ridibundus, 345 (r), 572
Laterallus jamaicensis coturniculus, 708 (r)
Lathotriccus eulerei, 387
Leptasthenura aegithaloides, 492 (r)
Leucochloris albicollis, 388
Limosa fedoa, 665
 Longspur, Chestnut-collared, see *Calcarius ornatus*
Lophornis magnifica, 388
Macronectes giganteus, 296–298, 491 (r)
 Magpie, Black-billed, see *Pica pica*
 Mallard, see *Anas platyrhynchos*
 Meadowlark
 Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
Melanerpes carolinus, 164, 183–184
M. erythrocephalus, 164, 183–185
Melanotrochilus fuscus, 388, 390
Meleagris gallopavo, 164, 184–185
M. g. silvestris, 494 (r)
Melospiza melodia, 165
 Merganser
 Common, see *Mergus merganser*
 Hooded, see *Mergus cucullatus*
 Red-breasted, see *Mergus serrator*
Mergus cucullatus, 100–104
M. merganser, 481, 669–679
M. serrator, 477–483
 Mistletoebird, see *Dicaeum hirundinaceum*
Molothrus ater, 11, 64, 66, 67, 70, 232–33, 384–386, 406–413, 439, 484 (r), 542–548, 665
M. a. artemisiae, 545
M. a. ater, 542–548
M. a. obscurus, 545
M. bonariensis, 434–441
Morus capensis, 641, 702 (r)
Motacilla flava, 267, 271–272
Muscisaxicola malcoviana, 490 (r)
Myadestes townsendi, 363
Myiarchus crinitus, 184–185
 Nene, see *Branta sandvicensis*
 Night-Heron, Black-crowned, see *Nycticorax nycticorax*
Nipponia nippon, 349–350 (r)
 Noddy
 Brown, see *Anous stolidus*
 White-capped, see *Anous tenuirostris*
Nothoprocta perdicaria, 492 (r)
Notiochelidon cyanoleuca, 387
Nucifraga caryocatactes, 118
 Nutcracker, see *Nucifraga caryocatactes*
 Nuthatch
 Brown-headed, see *Sitta pusilla*
 Eurasian, see *Sitta europaea*
 White-breasted, see *Sitta carolinensis*
Nyctea scandiaca, 363–364
Nycticorax nycticorax, 198 (r), 289
Oceanites oceanicus, 491 (r)
Oenanthe spp., 14
Oporornis formosus, 196 (r), 300–306, 384–386, 412
O. philadelphia, 408
 Oriole
 Northern, see *Icterus gallowai*
 see *Icterus gallowai bullockii*
 Orchard, see *Icterus spurius*
 Osprey, see *Pandion haliaetus*
Otus asio, 612–613
Otus kennicottii, 612
 Ovenbird, see *Seiurus aurocapillus*
 Owl
 Barred, see *Strix varia*
 Boreal, see *Aegolius funereus*
 Great-horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Northern Saw-Whet, see *Aegolius acadicus*
 Northern Spotted, see *Strix occidentalis caurina*
 Pygmy, see *Glaucidium passerinum*
 Snowy, see *Nyctea scandiaca*
 Spotted, see *Strix occidentalis*
 Tawny, see *Strix aluco*
 Tengmalm's, see *Aegolius funereus*
Oxyura jamaicensis, 475
 Partridge, Gray, see *Perdix perdix*
Parus ater, 267, 271
P. atricapillus, 188 (r), 342–343 (r), 532, 614–622
P. bicolor, 163, 164, 183, 185–186, 193 (r)
P. caeruleus, 268, 271, 487–488 (r), 621
P. carolinensis, 163, 164, 185, 193 (r), 532
P. cristatus, 271
P. gambeli, 525–533
P. hudsonicus, 253, 614, 619, 620
P. major, 271, 325, 484–487 (r), 621
P. varius, 118
Passer domesticus, 193 (r), 194 (r), 200 (r), 268, 344 (r)
P. montana, 268
Passerculus sandwichensis, 200 (r)
Passerella iliaca, 165
Passerina cyanea, 14, 411
Pelecanus erythrorhynchos, 191 (r)
 Pelican, American White, see *Pelecanus erythrorhynchos*

- Penguin
 Adélie, see *Pygoscelis adeliae*
 African, see *Spheniscus demersus*
 Chinstrap, see *Pygoscelis antarctica*
 Gentoo, see *Pygoscelis papua*
 Humboldt, see *Spheniscus humboldti*
 Little, see *Eudyptula minor*
 Royal, see *Eudyptes schlegeli*
Perdix perdix, 497 (r)
Perisoreus canadensis, 252–253
 Petrel, Southern Giant, see *Macronectes giganteus*
Phaethon rubricauda, 195 (r)
Phaethornis bourcierii, 495 (r)
P. eurymone, 388, 390
P. idaliae, 388
P. pretrei, 388
P. ruber, 388
P. squalidus, 388, 390
P. superciliosus, 495 (r)
Phalacrocorax aristotelis, 637–648
P. atriceps, 491 (r)
P. auritus, 205–211, 698 (r)
P. capensis, 702 (r)
P. carbo, 349 (r), 637–648
P. neglectus, 645
 Phalarope, Red-necked, see *Phalaropus lobatus*
Phalaropus lobatus, 609
Phasianus colchicus, 62, 502
 Pheasant, Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 408
Philemon coronulatus, 699 (r)
 Phoebe, Eastern, see *Sayornis phoebe*
Phoenicopterus ruber roseus, 704 (r), 711 (r)
Phoenicurus ochruros, 489 (r)
Phrygillus alaudinus, 493 (r)
P. fruticeti, 493 (r)
P. gayi, 493 (r)
P. patagonicus, 490 (r)
Phylloscopus davisoni, 493 (r)
P. reguloides, 493 (r)
P. sibilatrix, 12–14
P. trochilus, 196 (r), 266, 267
Pica pica, 345 (r), 605, 705 (r)
Picoides arcticus, 190 (r), 346 (r)
P. borealis, 162, 163, 165, 511–518
P. pubescens, 164, 183–185, 516
P. tridactylus, 190 (r)
P. villosus, 164
Picus viridis, 268
 Pigeon
 Homing, see *Columba livia*
 Scaly-naped, see *Columba squamosa*
 Pipilo erythrophthalmus, 165, 183, 185
 Pipit, Tree, see *Anthus trivialis*
Piranga olivacea, 408
P. rubra, 183–185
Plectrophenax nivalis, 192–193 (r)
Plegadis falcinellus, 348 (r)
 Plover
 Black-bellied, see *Pluvialis squatarola*
 Piping, see *Charadrius melodus*
 Snowy, see *Charadrius alexandrius*
 Two-banded, see *Charadrius falklandicus*
Pluvialis apricaria, 463–470
P. squatarola, 350 (r)
 Pochard, Common, see *Aythya ferina*
Podiceps nigriollis, 471–476
Poliioptila caerulea, 183–185
Polyborus plancus, 44–47
Polytmus quainumbi, 388
Poecetes gramineus, 496 (r), 663
Porphyrio mantelli, 712–713 (r)
Progne modesta, 494 (r)
Protonotaria citrea, 82, 84, 183–185
Prunella modularis, 266–267, 271
Pterocnemia pennata, 494 (r)
Puffinus pacificus, 703 (r)
Pygoscelis adeliae, 623–629
P. antarctica, 1–9, 491 (r)
P. papua, 7
Pyrocephalus spp., 494 (r)
Pyrrhocorax pyrrhocorax, 25–43, 428–433
Quiscalus niger, 438
Q. quiscula, 165, 232, 665
 Rail, California Black, see *Laterallus jamaicensis coturniculus*
Ramphodon naevius, 388
 Raven, Common, see *Corvus corax*
Recurvirostra americana, 307–320
Recurvirostra avosetta, 317, 342 (r)
 Redhead, see *Aythya americana*
 Redpoll, Common, see *Carduelis flammea*
 Redstart
 American, see *Setophaga ruticilla*
 Black, see *Phoenicurus ochruros*
Regulus calendula, 163, 165
R. satrapa, 163, 165, 372
Remiz pendulinus, 266, 268
 Rhea, Darwin's, see *Pterocnemia pennata*
Rhodostethia rosea, 572
Rissa tridactyla, 334, 345 (r)
 Robin
 American, see *Turdus migratorius*
 European, see *Erithacus rubecula*
 Sanderling, see *Calidris alba*
 Sandpiper
 Pectoral, see *Calidris melanotos*
 Semipalmated, see *Calidris pusilla*
 Spotted, see *Actitis macularia*
 Sapsuckers, Yellow-bellied, see *Sphyrapicus varius*

- Sapsucker, see *Sphyrapicus* spp.
Sarcoramphus papa, 341 (r)
Sayornis phoebe, 164
Scaup
 Greater, see *Aythya marila*
 Lesser, see *Aythya affinis*
Scelorchilus rubecula, 492 (r)
Screamer, Southern, see *Chaura torquata*
Screech-Owl
 Eastern, see *Otus asio*
 Western, see *Otus kennicottii*
Scytalopus magellanicus, 490 (r)
Seiurus aurocapillus, 196 (r), 304, 347 (r), 408
S. motacilla, 408
S. noveboracensis, 456–462
Sephanoides galeritus, 490 (r)
Setophaga ruticilla, 11, 12, 185, 408, 456–462
Shag, European, see *Phalacrocorax aristotelis*
Shearwater, Wedge-tailed, see *Puffinus pacificus*
Sheathbill
 Black-faced, see *Chionis minor*
 Pale-faced, see *Chionis alba*
Shrike
 Brown, see *Lanius cristatus*
 Loggerhead, see *Lanius ludovicianus*
 Northern, see *Lanius excubitor*
 Red-backed, see *Lanius collurio*
 Woodchat, see *Lanius senator*
Sialia currucoides, 343 (r)
S. mexicana, 494 (r)
S. sialis, 165, 188 (r), 193–194 (r), 198 (r), 200 (r), 218, 344 (r), 487 (r), 665, 706 (r)
Sicalis luteola, 493 (r)
Siskin, Eurasian, see *Carduelis spinus*
Sitta carolinensis, 117
S. europaea, 114–118
S. pusilla, 163–164
Skua, Antarctic, see *Catharacta antarctica*
Solitaire, Townsend's, see *Myadestes townsendi*
Sparrow
 American Tree, see *Spizilla aborea*
 Brewer's, see *Spizella breweri*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Grasshopper, see *Ammodramus savaanarum*
 House, see *Passer domesticus*
 LeConte's, see *Ammodramus lecontii*
 Sage, see *Amphispiza belli*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Vesper, see *Pooecetes gramineus*
 White-crowned, see *Zonotrichia leucophrys*
Sparrowhawk, see *Accipiter nisus*
Speotyto cunicularia, 491–492 (r)
Spheniscus demersus, 702 (r)
S. humboldti, 350 (r)
Sphyrapicus spp., 190 (r)
S. varius, 164
Spiza americana, 351 (r), 496 (r)
Spizella arborea, 195 (r)
S. pusilla, 162, 165
Starling, European, see *Sturnus vulgaris*
Stephanoxis lalandi, 388
Stercorarius longicaudus, 448
S. parasiticus, 448
S. pomarinus, 448
Sterna anaethetus, 707–708 (r)
S. antillarum, 48–58, 281–291, 704–705 (r)
S. antillarum browni, 48, 49, 711–712 (r)
S. antillarum mexicana, 49
S. bergii, 23, 702 (r)
S. fuscata, 23
S. hirundinacea, 17–24
S. hirundo, 22, 442–446
S. paradisaea, 442
S. sandvicensis, 22, 23, 282
S. vittata, 491 (r)
Stilt, Black-necked, see *Himantopus mexicanus*
Strigops habroptilus, 712–713 (r)
Strix aluco, 399, 700 (r), 713 (r)
S. occidentalis, 177–180, 507–510
S. occidentalis caurina, 190–191 (r)
S. varia, 162, 164, 713 (r)
Sturnella magna, 222–235
S. neglecta, 233, 490 (r), 496 (r), 666
Sturnus vulgaris, 41, 100–104, 266, 268, 321–326, 345 (r), 502, 613, 698 (r), 701–702 (r), 706 (r)
Surfbird, see *Aphriza virgata*
Swallow
 Barn, see *Hirundo rustica*
 Tree, see *Tachycineta bicolor*
Swan
 Bewick, see *Cygnus columbianus bewickii*
 Trumpeter, see *Cygnus buccinator*
 Tundra, see *Cygnus columbianus columbianus*
Swift, Common, see *Apus apus*
Sycalopus magellanicus, 492 (r)
Sylvia atricapilla, 267, 270–271, 486–487 (r), 592–603
S. borin, 267, 270–271
Sylviortorhynchus desmursii, 492 (r)
Tachycineta bicolor, 100–104, 218, 343 (r), 344 (r)
T. leucopyga, 490 (r)
Taeniopygia guttata, 700 (r)
Takahe, see *Porphyrio mantelli*
Tanager
 Scarlet, see *Piranga olivacea*

- Summer, see *Piranga rubra*
Tangara mexicana, 189 (r)
 Teal
 Blue-winged, see *Anas discors*
 Gleen-winged, see *Anas crecca*
 Tern
 Arctic, see *Sterna paradisaea*
 Black, see *Chlidonias niger*
 Bridled, see *Sterna anaethetus*
 California Least, see *Sterna antillarum browni*
 Common, see *Sterna hirundo*
 Crested, see *Sterna bergii*
 Least, see *Sterna antillarum*
 Sandwich, see *Sterna sandwicensis*
 Sooty, see *Sterna fuscata*
 South American, see *Sterna hirundinacea*
Tetrao urogallus, 700–701 (r)
Thalurania furcata, 388, 495 (r)
T. glaucopsis, 388, 390
 Thrasher
 Brown, see *Toxostoma rufum*
 Sage, see *Oreoscoptes montanus*
Thraupis sayaca, 189 (r)
 Thrush
 Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
 Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 193 (r)
Thryothorus ludovicianus, 163, 165, 183
T. maculipectus, 236–251
T. m. maculipectus, 238–241
T. rutilus, 247
 Tit
 Blue, see *Parus caeruleus*
 Eurasian, Penduline see *Remiz pendulinus*
 Great, see *Parus major*
 Varied, see *Parus varius*
 Titmouse, Tufted, see *Parus bicolor*
 Towhee, Rufous-sided, see *Pipilo erythrophthalmus*
Toxostoma rufum, 165, 194 (r)
Troglodytes aedon, 212–221, 344 (r), 434–441, 491 (r), 558–564, 665
T. troglodytes, 163, 165, 266, 268
 Tropicbird, Red-tailed, see *Phaëthon rubricauda*
Turdoides squamiceps, 189 (r)
Turdus falcklandii, 490 (r)
T. merula, 268
T. migratorius, 77, 165, 194 (r), 664–666
 Turkey, Wild, see *Meleagris gallopavo*
Tyto alba, 491–492 (r), 502, 504
 Veery, see *Catharus fuscescens*
Vermivora peregrina, 12
V. ruficapilla, 372
Vireo altiloquus, 119–140, 712 (r)
V. a. altiloquus, 137
V. a. barbatulus, 137
V. bellii, 119–140
V. b. bellii, 125
V. b. medius, 119, 125
V. flavifrons, 119–140, 183–185
V. flavoviridis, 119–140
V. f. flavoviridis, 136
V. f. hypoleucus, 136
V. gilvus, 119–140
V. g. gilvus, 131
V. g. swainsonii, 119, 131–132
V. griseus, 119–140, 183–185
V. g. griseus, 124
V. g. micrus, 119, 124
V. olivaceus, 119–140, 183–186, 408
V. philadelphicus, 119–140
V. solitarius, 119–140, 165
V. s. alticola, 127
V. s. cassinii, 127
V. s. plumbeus, 127
V. s. solitarius, 127
 Vireo
 Bell's, see *Vireo bellii*
 Black-whiskered, see *Vireo altiloquus*
 Philadelphia, see *Vireo philadelphicus*
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 Warbling, see *Vireo gilvus*
 White-eyed, see *Vireo griseus*
 Yellow-green, see *Vireo flavoviridis*
 Yellow-throated, see *Vireo flavifrons*
 Vulture
 Black, see *Coragyps atratus*
 King, see *Sarcoramphus papa*
 Turkey, see *Cathartes aura meridionalis*
 Wagtail, Yellow, see *Motacilla flava*
 Warbler
 Black-throated Blue, see *Dendroica caerulescens*
 Black-throated Green, see *Dendroica virens*
 Blackpoll, see *Dendroica striata*
 Blyth's Leaf, see *Phylloscopus reguloides*
 Chestnut-sided, see *Dendroica pensylvanica*
 Eurasian Reed, see *Acrocephalus scirpaceus*
 Garden, see *Sylvia borin*
 Great Reed, see *Acrocephalus arundinaceus*
 Hooded, see *Wilsonia citrina*
 Kentucky, see *Oporornis formosus*
 Kirtland's, see *Dendroica kirtlandii*
 Magnolia, see *Dendroica magnolia*
 Marsh, see *Acrocephalus palustris*
 Mourning, see *Oporornis philadelphia*
 Mustached, see *Acrocephalus melanopogon*
 Nashville, see *Vermivora ruficapilla*
 Pine, see *Dendroica pinus*
 Prairie, see *Dendroica discolor*

- Prothonotary, see *Protonotaria citrea*
 Reed, see *Acrocephalus scirpaceus*
 Sedge, see *Acrocephalus schoenobaenus*
 Tennessee, see *Vermivora peregrina*
 White-tailed Leaf, see *Phylloscopus davisoni*
 Willow, see *Phylloscopus trochilus*
 Wood, see *Phylloscopus sibilatrix*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
 Yellow-throated, see *Denroica dominica*
Waterthrush
 Louisiana, see *Seiurus motacilla*
 Northern, see *Seiurus noveboracensis*
Wattlebird, Red, see *Anthochaera carunculata*
Waxwing, Cedar, see *Bombycilla cedrorum*
White-eye
 Abyssinia, see *Zosterops abyssinicus*
 Cape, see *Zosterops pallidus*
 Oriental, see *Zosterops palpebrosa*
Wigeon, American, see *Anas americana*
Willet, see *Catoptrophorus semipalmatus*
Wilsonia citrina, 183–185, 196 (r), 408, 412
Woodpecker
 Black-backed, see *Picoides arcticus*
 Downy, see *Picoides pubescens*
 Hairy, see *Picoides villosus*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Red-cockaded, see *Picoides borealis*
 Red-headed, see *Melanerpes erythrocephalus*
 Three-toed, see *Picoides tridactylus*
Wood-Wren
 Gray breasted, see *Henicorhina leucophrys*
 White-breasted, see *Henicorhina [leucostictal] prosthaleuca*
Wren
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Sedge, see *Cistothorus platensis*
 Spot-breasted, see *Thryothorus maculipectus maculipectus*
 Winter, see *Troglodytes troglodytes*
Xanthacephalus xanthocephalus, 167–176
Yellowthroat, Common, see *Geothlypis trichas*
Zenaida aurita, 340 (r)
Z. macroura, 164, 185–186, 663, 665–667, 691–697
Zonotrichia capensis, 490 (r)
Z. leucophrys, 494–495 (r)
Zosterops abyssinicus, 358
Z. pallidus, 358–359
Z. palpebrosa, 358

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review sections of the Journal, they are indexed by geographic location only.

- Africa, 363, 576
aging, 428-433, 453-455, 542-548, 565-574
Alabama, 129, 209
Alaska, 141-158, 360, 362, 447-452
Alberta, 275-280, 488 (r), 505, 709 (r)
Anarctica, Rauer Islands, 623-629
 Livingston Island, 490-491 (r)
 South Shetland Islands, 1-9, 292-299
Appalachian Mountains, 127
Argentina, Chubut, 17-24
 San Antonio Oeste, 575-591
 Tierra del Fuego, 585
Arizona, 189-190 (r), 191 (r), 308, 630
Arkansas, 82-85, 511
Australia, 576, 702 (r), 707-708 (r)
 Houtman Abrolhos, 703 (r)
 New South Wales, 699 (r), 703 (r)
Austria, 486-487 (r), 701 (r), 707 (r), 713 (r)
behavior, 477-483, 669-679
bird communities, 177-181
Brazil, 576, 588
 Bahia, 387-391
 Manaus, 495 (r)
 Rio Grande do Sul, 349 (r)
 Santa Catarina, 387-391
 Santa Teresa, Espirito Santo, 387-391
 São Paulo, 387-391
breeding biology, 17-24
British Columbia, 218, 700 (r), 704 (r)
brood parasitism, 384-386, 406-413 434-441
California, 94, 130, 190 (r), 191 (r), 198 (r),
 307-320, 471, 612, 710 (r), 711-712 (r)
Canada, 94, 141, 147-158, 360, 576
 Northwest Territories, 709 (r)
Cape Horn, 17
Chesapeake Bay, 95, 192 (r), 396
Chile, 490-496 (r), 586
 Isla Pan de Azucar, 350 (r)
China, Sichuan Province, 493 (r)
Christmas Island, 195 (r)
Colombia, 245
 Cauca Valley, 434-443
Colorado, 69, 501, 542-548
communication, 376-383, 398-405
competition, 321-326
Connecticut, 188 (r)
Costa Rica, 238-245
 demography, 141-158
 diet, analysis, 114-118, 499-506, 575-591,
 592-603, 649-659
 energy budget, 575-591
 variation in food availability, 592-603
distribution, 669-679
Ecuador, 245
England, 76, 345 (r), 485 (r), 534
Estonia, 485-486 (r)
Europe, 87, 576, 585, 621
feeding ecology, 86-99, 292-299, 575-591,
 649-659
field techniques, capture methods, 630-636
 food intake determination, 637-648
 radiotransmitters, 463-470, 680-690
 automatic camera, 414-421
 band sizes, 387-391
 candlers for passerines, 660-668
 color bands for owls, 507-510
 dye-marking, 442-446
 GIS, 367-375
 mist-netting 92-85
 predator exclosures, 447-452
Finland, 189 (r), 193 (r), 196 (r), 347 (r),
 484-485 (r)
Florida, 129-131, 311, 495 (r), 511, 630-636
foraging, behavior, 1-9, 25-43, 358-359,
 463-470
France, 342 (r), 343 (r), 349 (r), 534, 637-
 648, 703, 704 (r)
Georgia, 159-166, 195 (r), 612-613
Germany, 76, 345-346 (r), 488 (r), 700 (r)
Great Britain, 363, 463-470, 496-497 (r),
 621
Great Lakes, 86, 327-339
Greece, 26
Guatemala, 48, 241
 Escuintla, 44-47
habitat associations, 159-166
habitat, foraging, 511-518, 691-697
herbicides, responses of birds to, 167-176
Hispaniola, 137
Iceland, 587
Idaho, 190 (r), 308, 311, 361-362, 489-490
 (r), 499-506
Illinois, 63, 105-113, 219, 232, 558-564, 704
 (r)

- investigator disturbance, 623–629
 Iowa, 94, 200 (r), 495–496 (r)
 irruption, southward, 614–622
 Italy, 26
 Jamaica, 137
 Japan, Kanto Plain, 701 (r)
 Johnston Atoll, 195 (r)
 Kansas, 195 (r), 197 (r), 222–235, 311
 Kentucky, 218–219
 Lake Erie, 86–99, 327–339, 340 (r), 615–616, 618
 Lake Huron, 331–339, 698 (r)
 Lake Ontario, 327–339, 616, 698 (r)
 Lake St. Clair, 86–99
 Lake Superior, 331–339, 698 (r)
 Louisiana, 94–95, 119–140, 511–518
 Maine, 367–375, 422–427, 456–462
 Manitoba, 96, 604–611
 Maryland, 384–386
 Massachusetts, 12, 347–348 (r), 362, 477–483
 Mexico, 119, 124–125, 191 (r), 314–315
 Baja California Sur, 48–58
 Baja California, 48–58, 474
 Chiapas, 489 (r)
 Delta del Río Colorado, 48–58
 Michoacan, 311
 Sinaloa, 311–312, 316–317
 Sonora, 48–58, 317
 Veracruz, 236–251
 Michigan, 88, 201–202 (r), 362, 423, 425, 708 (r)
 microclimate, analysis, 525–533
 migration, dispersal, 327–339
 mass loss, 456–462
 timing of, 119–140
 Minnesota, 10–16, 94, 364, 392–397, 422, 424–426, 460, 501, 677
 Mississippi, 129, 181–187, 198 (r), 205–211, 322, 511–512
 Missouri, 360
 molt, 358–359
 Montana, 190 (r), 311
 mortality, large-scale, 471–476
 movement patterns, 205–211
 movements, long-distance patterns, 307–320
 Nebraska, 311, 324, 677
 nest, artificial, 604–611
 nest boxes, 212–221, 558–564
 nesting, behavior, 17–24, 25–43
 biology, 100–104, 105–113, 222–235, 300–306, 525–533, 612–613
 management strategies, 281–290
 monitoring, 275–280, 281–290
 status, 48–58
 Netherlands, 96
 Nevada, 308, 311, 472–475
 New Brunswick, 425
 New Hampshire, 481–482
 New Jersey, 360
 Cape May, 254–262
 New Mexico, 125, 360, 669–679
 New York, 347 (r), 362, 423, 426, 565–574
 New Zealand, 586, 712–713 (r)
 Nicaragua, 241–246
 North Carolina, 95, 706 (r)
 North Dakota, 167–176, 194 (r), 654
 Norway, 76
 Nova Scotia, 709 (r)
 Ohio, 88, 194 (r), 321–326
 Oklahoma, 193 (r), 197 (r), 281–291, 677
 Ontario, 88, 96, 229, 362, 364, 398–405, 425, 614–622, 705 (r)
 Oregon, 190 (r), 308, 494 (r)
 Pakistan, 358
 Panama, 244–245
 Pennsylvania, 360
 Hawk Mountain, 255
 Poland, 343 (r), 481
 polygyny, passerines, 10–16
 population size, 669–679
 changes in, 254–262
 predation, 252–253, 275–280, 604–611
 Puerto Rico, 137
 Quebec, 352 (r), 362, 364, 698 (r)
 radio-tracking, 59–71
 radiotransmitters, harness, 549–557
 internal, 355–357, 549–557
 subcutaneous, 392–397
 tail-mounted, 177–180
 reproductive success, 1–9, 321–326, 422–427, 623–629
 Rhode Island, 198 (r), 482, 543
 Rocky Mountains, 127
 roosting, communal, 44–47
 Saskatchewan, 343–344 (r), 549–557
 Scotland, 192–193, 481, 637–648, 710 (r)
 Isle of Islay, 25–43
 sexual dimorphism, 236–251, 534–541
 Siberia, 114–118, 141, 148, 151, 158, 188 (r)
 site fidelity, non-breeding, 360–366
 South Africa, 358–359, 702 (r)
 South Carolina, 94–95, 300–306, 494 (r)
 South Dakota, 174, 677
 Spain, 26, 428–433, 534–541, 592–603
 Sweden, 76, 188 (r), 196–197 (r), 363, 481, 484–486 (r), 489 (r)
 Switzerland, 96
 Estavayer-le-Lac, 263–274
 techniques, sexing, 428–433, 519–524, 534–541
 testing egg volume, 72–81
 Texas, 45, 119, 124–126, 198 (r), 481, 495 (r), 511, 543, 630
 Thailand, 363

transmitters, effects of, 1-9

Tunisia, 364

Uruguay, 576

Utah, 307-320, 472-475, 691-697

Venezuela, 340-341 (r)

Vermont, 252-253, 362, 364

Wales, Powys, 73

Wisconsin, 95, 100-104, 105-113, 340 (r),
362-364, 376-383, 406-413, 453-455,
501, 649-659

Wyoming, 190 (r), 212-221, 324, 519-524,
525-533