

INDICES TO VOLUME 68

COMPILED BY MICHELLE CAWTHORN

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

- Acosta, M., 310-311 (r)
Aguirre-Rivera, J. R., 633-634 (r)
Akesson, S., 313 (r)
Alerstam, T., 157 (r), 313 (r)
Alfaro, L., 562-574
Anderson, S. H., 166 (r)
Andrews, R. W., 91-97
Ankney, C. D., 19-25
Arcese, P., 7-18
Arnold, T. W., 19-25
Baker, M. C., 484 (r)
Barber, C. A., 162-163 (r)
Barbosa, A., 607-612
Barclay, R. M. R., 161-162 (r)
Bass, D. A., 157-158 (r)
Bauldry, V. M., 7-18
Beasley, B. A., 483-484 (r)
Bennett, G. F., 75-78
Berg, A., 638-639 (r)
Bergkvist, J., 164 (r)
Bergman, D. L., 450-457
Besser, J. F., 165 (r)
Blanco, G., 392-399, 485-486 (r)
Blem, C. R., 245-252
Blem, L. B., 245-252
Blixt, D. C., 450-457
Blockstein, D. E., 537-546
Blokpoel, H., 311 (r)
Blomqvist, O. C., 164 (r)
Blum, J. D., 632 (r)
Blumton, A. K., 302-305
Boag, P. T., 162-163 (r), 483 (r)
Bollinger, E., 489-490 (r)
Bookhout, T. A., 200-207
Booth, R., 69-74
Bosque, C., 310 (r)
Bowman, R., 580-589
Brackney, A. W., 124-134
Bradstreet, M., 155 (r)
Bremer, R. E., 79-90
Briskie, J. V., 641 (r)
Brodin, A., 484 (r)
Brousseau, P., 158 (r)
Brown, C. R., 317 (r)
Bruderer, B., 166 (r)
Bruinzeel, L., 495 (r)
Brunfield, R. T., 315-316 (r)
Brush, T., 635-636 (r)
Bruun, M., 487-488 (r)
Bryant, D. M., 317 (r)
Buckland, S. T., 547-561
Bull, E. L., 302-305
Burger, A. E., 208-223, 547-561
Burger, J., 634 (r)
Burley, N. T., 162 (r)
Canterbury, G. E., 537-546
Capparella, A. P., 315-316 (r)
Cardenas, M., 135-143
Carlson, A., 316-317 (r)
Cesaris, C., 169 (r)
Chamberlain, C. P., 632 (r)
Chernetsov, N., 638 (r)
Christe, P., 497 (r)
Clark, R. G., 33-41, 637 (r)
Clarke, M. F., 160 (r)
Clason, D. L., 639-640 (r)
Clayton, D. H., 509-518
Collazo, J. A., 602-606
Collier, B., 155 (r)
Collins, B., 155 (r)
Collister, D. M., 273-282
Conover, M. R., 485 (r)
Converse, K. A., 503-508
Cormons, G., 79-90
Cosgrove, C. C., 245-252
Costanzo, G. R., 503-508
Creighton, J. C., 306 (r)
Cresswell, W., 491 (r)
Cruz, A., 91-97
Cummings, J. L., 165 (r)
Dachelet, C. A., 228-234
Dale, S., 308-309 (r)
Davis, Jr., J. E., 165 (r)
de Lima Serrano do Nascimento, I., 79-90
De Smet, K., 273-282
de Tarso Zuquim Antas, P., 79-90

- Debus, S. J. S., 155–156 (r)
 DeStefano, S., 500 (r)
 Deviche, P., 613–621
 Díaz, M., 484–485 (r)
 Dickinson, J. L., 312 (r), 635 (r)
 DiCostanzo, J., 79–90
 Dierschke, V., 638 (r)
 Doherty, Jr., P. F., 311 (r)
 Donnan, D., 642 (r)
 Douglas, H. D., 224–227
 Downs, C. T., 633 (r)
 Drent, R., 495 (r)
 Droege, S., 171–172 (r)
 Duan, W., 200–207
 Dugger, B. D., 331–337
 Dunlop, J. N., 498 (r)
 Dutenhoffer, M. S., 495 (r)
 Edwards, J. W., 228–234
 Eguchi, K., 633 (r)
 Ekman, J. B., 316–317 (r)
 Emery, R. B., 1–6
 Emlen, S. T., 170 (r)
 Endler, J. A., 169–179 (r)
 Ennola, K., 319 (r)
 Er, K. B. H., 155 (r)
 Ericson, P. G. P., 316 (r)
 Erritzoe, J., 494–495 (r)
 Evans, R. M., 488–489 (r)
 Farrell, J. R., 156–157 (r)
 Feng, X., 632 (r)
 Fernández, E. C., 382–391
 Fernández, P., 224–227
 Fields, R. L., 471–481
 Fischbacher, M., 485 (r)
 Fitzpatrick, S., 636 (r)
 Floyd, T., 634 (r)
 Forero, M. G., 575–579
 Forsman, E. D., 500 (r)
 Fotheringham, J. R., 486–487 (r)
 Franzreb, K. E., 458–470
 Frederick, P. C., 287–295
 Freeberg, T. M., 483 (r)
 Frith, C. B., 490 (r)
 Frith, D. W., 490 (r)
 Fujimaki, Y., 492–493 (r)
 Gajon, A., 575–579
 Galeotti, P., 169 (r)
 Galetti, M., 310 (r)
 Garcia-Moya, E., 633–634 (r)
 Gende, S. M., 590–601
 Gibson, R. M., 162 (r)
 Gilbert, L., 152–154
 Giroux, J.-F., 158 (r)
 Gomez, F., 485–486 (r)
 González, S., 113–123, 562–574
 Gonzalez-Martin, M., 160–161 (r)
 Goodrich, L., 319–320 (r)
 Gorman, G., 501–502 (r)
 Götmark, F., 164 (r), 483 (r)
 Gougen, C. B., 312 (r)
 Gowaty, P. A., 323–330
 Graham, D. L., 98–101
 Graham, K., 155 (r)
 Graves, G. R., 443–449, 632 (r)
 Gray, D. A., 170 (r)
 Gray, E. M., 635 (r)
 Grubb, Jr., T. C., 311 (r)
 Gudmundsson, G. A., 314 (r)
 Gustavsen, R., 308–309 (r)
 Gutiérrez, R. J., 500 (r)
 Guyn, K. L., 33–41
 Haig, S. M., 358–366
 Hake, M., 495–496 (r)
 Hakkarainen, H., 636 (r)
 Hall, S., 496 (r)
 Hamilton, I., 642 (r)
 Harris, M. P., 547–561
 Harvey, IV, W. F., 503–508
 Haydock, J., 163 (r)
 Hays, H., 79–90
 Hedenström, A., 157 (r)
 Herkert, J. R., 235–244
 Hewitt, D. G., 413–420
 Hillgarth, N., 318 (r)
 Hindman, L. J., 503–508
 Hiraoka, T., 490 (r)
 Hohman, W. L., 643 (r)
 Holmes, R. T., 632 (r)
 Holt, Jr., J. B., 493 (r)
 Horn, A., 307 (r)
 Houston, C. S., 643–644 (r)
 Houston, D., 642 (r)
 Houston, M. I., 643–644 (r)
 Howell, S. N. G., 500–501 (r)
 Howerter, D. W., 1–6
 Hudde, H., 166–167 (r)
 Huhta, E., 492 (r)
 Huhtala, K., 309–310 (r)
 Hulsman, K., 497–498 (r)
 Hunter, D. B., 168 (r)
 Hupp, J. W., 124–134
 Ishida, K., 482 (r)
 Jansen, P., 530–536
 Jenni, L., 315 (r)
 Johns, B. E., 165 (r)
 Johnson, L. S., 161–162 (r)
 Johnson, W. P., 632 (r)
 Jokimäke, J., 492 (r)
 Jones, P., 642 (r)
 Joynt, B. L., 1–6
 Jungers, M., 562–574
 Jussila, P., 309–310 (r)
 Kaiser, A., 165–166 (r)
 Karlsson, L., 313 (r)

- Kattan, G. H., 634–635 (r)
 Kazama, T., 496 (r)
 Kelly, J. F., 158 (r)
 Kemp, K. E., 253–258
 Kennedy, P. L., 69–74
 Kerley, L. L., 166 (r)
 Kerlinger, P., 501 (r)
 Kershner, E. L., 489–490 (r)
 Kersten, M., 495 (r)
 Kimball, R. T., 494–495 (r)
 Kirkpatrick, R. L., 413–420
 Klaassen, M., 169 (r)
 Klus, R. J., 622–629
 Klute, D. S., 253–258
 Knittle, C. E., 165 (r)
 Koivula, K., 159–160 (r)
 Konishi, H., 492–493 (r)
 Kuletz, K. J., 421–425
 Kurodo, N., 496 (r)
 Lahti, K., 159–160 (r), 484 (r), 636 (r)
 Lampman, K. P., 311 (r)
 Laporte, P., 56–63
 Lardelli, R., 166 (r)
 Latta, S. C., 494 (r)
 Lawler, J. J., 490–491 (r)
 Lefebvre, G., 426–442
 Lefebvre, J., 158 (r)
 Lehtilä, K., 319 (r)
 Leisler, B., 164–165 (r)
 Lens, L., 484 (r)
 Leonard, M., 307 (r)
 Leonard, M. L., 312 (r)
 Levin, R. N., 487 (r)
 Lewicki, M. S., 311 (r)
 Ley, A. J., 490 (r)
 Liechti, F., 166 (r)
 Lifjeld, J. T., 164 (r)
 Lill, A., 486 (r)
 Lilliendahl, K. E., 316–317 (r), 486 (r)
 Lima, S. L., 306–307 (r)
 Linz, G. M., 165 (r), 450–457
 Long, D. J., 152–154
 Lundvall, P., 636 (r)
 Lundy, K., 162 (r)
 Luthin, C., 287–295
 Maccougall-Shackleton, E. A., 483 (r)
 Maekawa, H., 488 (r)
 Mancina, C., 310–311 (r)
 Mappes, T., 636 (r)
 Marini, M. A., 634 (r)
 Marks, D. K., 421–425
 Martin, P. R., 486–487 (r)
 Martin, T. E., 637 (r)
 Martínez, F., 392–399
 Martinez-Delgado, E., 633–634 (r)
 Mathews, N. E., 312 (r)
 Mattes, H., 485 (r)
 McFarland, D. C., 157 (r)
 McMurl, C., 450–457
 McShea, W. J., 367–375
 Mellink, E., 113–123, 633 (r)
 Miranda, L., 602–606
 Miyasato, L. E., 484 (r)
 Møller, A. P., 494–495 (r)
 Montgomerie, R., 641 (r)
 Montoya, A. B., 135–143
 Moore, F. R., 312–313 (r)
 Morato, J., 485–486 (r)
 Moss, R., 167–168 (r)
 Mugica, L., 310–311 (r)
 Mulvihill, R. S., 183–199
 Murray, Jr., B. G., 348–357
 Muschitz, D. M., 7–18
 Neudorf, D. L., 64–68
 Nishiumi, I., 488 (r)
 Nogales, M., 382–391
 Nummi, P., 639 (r)
 O'Neill, P., 497–498 (r)
 Ogilvie, P., 497–498 (r)
 Oliver, D. L., 490 (r)
 Olsson, J., 483 (r)
 Olsson, O., 163 (r)
 Omland, K. E., 640 (r)
 Oppliger, A., 497 (r)
 Oring, L. W., 296–301
 Osborne, D., 642 (r)
 Page, G. W., 562–574
 Palacios, E., 113–123, 562–574
 Paredes, R., 102–112
 Parker, P. G., 162–163 (r)
 Parr, R., 167–168 (r)
 Parsons, K. C., 318–319 (r)
 Pearce, J. M., 471–481
 Pennycuik, C. J., 306 (r)
 Perez, C. J., 493 (r)
 Pérez-Rivera, R. A., 178–182
 Perrin, M. R., 633 (r)
 Peter, D., 166 (r)
 Pettersson, J., 314 (r)
 Picman, J., 632–633 (r)
 Piersma, R., 495 (r)
 Pitcher, T. E., 64–68
 Pitt, W. C., 485 (r)
 Pitts, T. D., 167 (r)
 Pizo, M. A., 310 (r)
 Plissner, J. H., 323–330
 Porkas, M., 319–320 (r)
 Poulin, B., 426–442
 Poysa, H., 639 (r)
 Pribil, S., 632–633 (r)
 Price, P., 636 (r)
 Pulliainen, E., 309–310 (r)
 Purcell, K. L., 283–286
 Rabenold, K. N., 163 (r)

- Radunzel, L. A., 7–18
 Rahbek, C., 639 (r)
 Ralph, C. J., 171–172 (r)
 Ramírez, R., 310 (r)
 Raphael, M. G., 500 (r)
 Rappole, J. H., 367–375
 Ratcliffe, L., 486–487 (r)
 Reed, J. M., 296–301
 Reeves, H. M., 643–644 (r)
 Reichel, J. D., 42–55
 Reynolds, M. H., 26–32
 Richner, H., 497 (r)
 Ritchotte, G. L., 26–32
 Rivera-Milán, F. F., 259–272
 Robel, R. J., 253–258
 Robert, M., 56–63
 Robertson, D. G., 124–134
 Robertson, R. J., 162–163 (r), 483 (r), 486–487 (r)
 Robinson, A. P., 155 (r)
 Rodgers, Jr., J. A., 161 (r)
 Rodríguez, D., 310 (r)
 Rodríguez, R. F., 392–399
 Rodway, M. S., 338–347
 Rohner, C., 168 (r)
 Rolando, A., 638 (r)
 Rose, A. M., 491 (r)
 Rowher, F. C., 632 (r)
 Ruiz, X., 160–161 (r), 310–311 (r)
 Rupert, J. R., 635–636 (r)
 Sabag, C., 144–146
 Sandberg, R., 312–314 (r)
 Sandell, M. I., 482 (r), 487–488 (r)
 Sandoval, J. C., 287–295
 Sankowski, T. P., 1–6
 Sauer, J. R., 171–172 (r)
 Schempf, P. F., 150–151
 Schnell, G. D., 306 (r)
 Schreiber, E. A., 311–312 (r)
 Schulze-Hagen, K., 164–165 (r)
 Schwikert, S. T., 161 (r)
 Scribner, K. T., 471–481
 Sedgwick, J. A., 622–629
 Seto, N. W. H., 530–536
 Shapiro-Wenner, A., 161 (r)
 Shealer, D. A., 634 (r)
 Shepherd, W. M., 640 (r)
 Sherry, T. W., 632 (r)
 Shimodo, C., 488 (r)
 Silverin, B., 642–643 (r)
 Simão, I., 310 (r)
 Slagsvold, T., 308–309 (r)
 Smith, A. A., 488 (r)
 Smith, D. W., 493 (r)
 Smith, H. G., 482 (r), 487–488 (r)
 Smith, K. G., 640 (r)
 Smith, S., 493 (r)
 Snow, R. W., 167 (r)
 Sogge, M. K., 630–631
 Solonen, T., 315 (r)
 Sossinka, R., 159 (r)
 Spalding, M., 287–295
 Spindler, M. A., 124–134
 Spooner, A., 632–633 (r)
 Stanisick, M., 173–177
 Stein, Jr., G., 503–508
 Stelte, W., 159 (r)
 Stenzel, L. E., 562–574
 Stevens, E. E., 228–234
 Stinson, D. W., 42–55
 Stokes, T., 497–498 (r)
 Stutchbury, B. J., 75–78
 Suhonen, J., 484 (r)
 Swaddle, J. P., 311–312 (r)
 Swanson, D. L., 495 (r)
 Syrjänen, K., 319 (r)
 Takagi, M., 496–497 (r)
 Tarof, S. A., 75–78
 Taylor, M. E., 311 (r)
 Tella, J. L., 575–579
 Therrien, J. E., 156 (r)
 Théry, M., 169–170 (r)
 Thompson, J. E., 19–25
 Thönen, W., 159 (r)
 Tibbot, C., 319–320 (r)
 Tidemann, C. R., 155 (r)
 Tolonen, P., 636 (r)
 Tracy, T. T., 484 (r)
 Traveset, A., 144–146
 Tumbrinck, J., 485 (r)
 Tunkkari, P. S., 309–310 (r)
 Tyrant, B. L., 639–640 (r)
 Urano, E., 633 (r)
 Valdez, R., 639–640 (r)
 Van der Meer, J., 495 (r)
 Viverette, C., 319–320 (r)
 Voelker, G., 317–318 (r), 400–412
 Vuilleumier, F., 168 (r)
 Walcott, C., 314 (r)
 Walinder, G., 313 (r)
 Walsberg, G. E., 173–177
 Walther, B. A., 509–518
 Wanless, S., 547–561
 Ward, J. M., 69–74
 Watson, A., 167–168 (r)
 Watts, B. D., 519–525
 Weber, L. M., 358–366
 Weinstein, J. H., 490–491 (r)
 Welander, J., 316–317 (r)
 Welling, P., 159–160 (r)
 Wesolowski, T., 637–638 (r)
 Wheelwright, N. T., 490–491 (r)
 Whittingham, L. A., 164 (r)
 Whittow, G. C., 376–381

- Widmer, F., 315 (r)
Wiehn, J., 636 (r), 643 (r)
Wieneke, J., 490 (r)
Wiersma, P., 495 (r)
Wiles, G. J., 42-55
Williams, B., 490 (r)
Willson, M. F., 144-146, 590-601
Wilson, M. C., 519-525
Wiltschko, R., 314 (r)
Wiltschko, W., 314 (r)
Winkel, W., 166-167 (r)
Winkler, H., 164-165 (r)
Winstead, R. L., 183-199
Wobeser, B. K., 637 (r)
- Wolf, B. O., 173-177
Wood, P. H., 319-320 (r)
Woolfenden, G. E., 580-589
Wunderle, Jr., J. M., 494 (r)
Xavier do Nascimento, J. L., 79-90
Yamagishi, S., 488 (r), 633 (r)
Yerkes, T., 147-149
Zavalaga, C. B., 102-112
Zimmer, J. M., 526-529
Zimmerman, J. L., 317 (r)
Zink, R. M., 168-169 (r)
Zollner, P. A., 306-307 (r)
Zwank, P. J., 135-143, 493 (r), 639-640 (r)

J. Field Ornithol., 68(4):651-652

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; and a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review sections of the Journal, they are indexed by geographic location only.

- Africa, 495 (r)
 Alabama, 585
 Alaska, 43, 124-134, 150-151, 209, 218, 473, 520, 590-601, 613-621
 Alberta, 273-282
 Alps, 166 (r)
 Andes, 316 (r)
 Antarctica, 402
 Argentina, 79-90, 91, 96
 Arizona, 585, 630-631
 Arkansas, 331-337, 640 (r)
 Australia, 52, 155 (r), 160 (r), 361, 486 (r), 491-493 (r), 498 (r)
 behavior
 activity times, 413-420
 anti-predator, 607-612
 roosting, 302-305
 singing, 367-375, 630-631
 Belgium, 488 (r)
 Belize, 293
 bird communities, 42-55, 287-295, 537-546, 562-574
 Bolivia, 80
 Brazil, 79-90, 91, 482 (r)
 breeding biology, 7-18, 26-32, 91-97, 135-143, 273-282, 296-301, 580-589, 613-621
 field techniques, 56-63, 323-330
 mass loss in eggs, 376-381
 monitoring, 392-399
 British Columbia, 208-223, 417
 California, 80, 152-154, 162 (r), 209, 312 (r), 500 (r), 580, 585
 Canada, 1-6, 132-133, 235-236, 413, 520, 632 (r), 643-644 (r)
 Canary Islands, 382-391
 Chile, 80, 141, 500-501 (r)
 Christmas Island, 310-311 (r), 376-381
 Colombia, 634-635 (r)
 Colorado, 417
 Connecticut, 80, 82, 319 (r), 364
 Costa Rica, 293
 diet
 composition, 178-182, 358-366, 382-391
 estimating prey availability, 426-442, 602-606
 disease, 503-508
 distribution, 113-123, 124-134
 winter, 79-90
 Dominican Republic, 179, 494 (r)
 Ecuador, 224-227
 feeding
 ecology, 144-146, 245-252
 supplemental, 590-601
 field techniques
 aging, 400-412, 443-449
 artificial nests, 33-41
 banding, 622-629
 depth recorders, 547-561
 estimating ectoparasites, 509-518
 estimating prey availability, 426-442, 602-606
 food boxes, 69-74
 identification and marking, 1-6
 mist-netting, 348-357
 morphometrics and aging, 338-347
 nest examination, 283-286, 530-536
 quantifying behavior, 173-177
 radar tracking, 208-223
 trapping, 147-149
 Finland, 308-309 (r), 315 (r), 417, 492 (r)
 Florida, 91, 161 (r), 291, 364, 467, 580-589
 food availability, 253-258
 France, 555
 French Guiana, 169-170 (r)
 genetic analysis, 471-481
 Georgia, 467, 585-586, 632 (r)
 Germany, 165-167 (r), 638 (r)
 Greater Antilles, 520
 Greece, 501-502 (r)
 Guam, 42-55
 Guatemala, 293
 Guyana, 96
 Hawaii, 26-32, 46, 226
 Honduras, 287-295
 Hungary, 501 (r)
 Iceland, 314 (r)
 Idaho, 171 (r), 279, 382, 485 (r)

- Illinois, 235-244, 489-490 (r)
Indiana, 241, 279, 483 (r)
Iowa, 241
Ireland
 Northern, 636 (r)
Italy, 638 (r)
Jamaica, 180
Japan, 43, 47, 49, 53, 488 (r), 490 (r), 492-493 (r), 496-497 (r)
Johnston Atoll, 310-311 (r)
Kansas, 237, 253-258
Kentucky, 328, 332
La Selva, 98-101
lifespan, 150-151, 224-227
Louisiana, 332, 632 (r)
Madagascar, 633 (r)
Manitoba, 1-6, 19-25, 147-149, 273-282, 489 (r)
Mariana Islands, 42-45
Maryland, 503-508
Mexico, 172 (r), 293, 633-634 (r)
 Baja California, 562-574
 Chihuahua, 135-143
 Quintana Roo, 75-78
 Río Colorado, 113-123
Michigan, 200-207, 237, 241, 327
Micronesia, 42-55
Midway Atoll, 530-536
migration, 331-337, 519-525
Minnesota, 165 (r), 241, 279, 296-301, 417, 537-546
Mississippi, 332, 467
Missouri, 241, 279, 332-333, 419
molt, 183-199, 400-412
Montana, 171 (r), 245-252
mortality
 sources of, 98-101
nest
 artificial, 33-41, 147-149, 228-234
 boxes, 7-18, 323-330
New Brunswick, 490-491 (r)
Newfoundland, 338-347, 520
New Guinea, 43, 49, 52-53
New Hampshire, 443
New Jersey, 237, 319 (r), 348-357
New Mexico, 69-74, 136, 312 (r), 639-640 (r)
New South Wales, 155-158 (r), 490 (r)
New York, 79-90, 156 (r), 319 (r), 418, 520
New Zealand, 43, 160 (r), 226, 532
Nicaragua, 287-295
North Carolina, 184, 443-449, 467, 503-508
North Dakota, 279, 450-457, 526-529
North Pole, 168 (r)
Norway, 164 (r)
Nova Scotia, 307 (r)
Ohio, 241, 493 (r)
Oklahoma, 306 (r)
Ontario, 155 (r), 163 (r), 171 (r), 279, 310 (r), 487 (r)
Oregon, 302-305, 500 (r), 622-629
Panama, 91, 426-442
Paraguay, 293
parasites, 575-579
Pennsylvania, 64-68, 75-78, 183-199, 319-320 (r), 443-449
Peru, 81, 102-112
Philippines, 43
Poland, 637-638 (r)
population biology, 235-244, 259-272, 450-457, 458-470
predation, 152-154
Puerto Rico, 178-182, 259-272, 602-606
Quebec, 56-63, 158 (r), 279, 520
Queensland, 490 (r), 497-498 (r)
radiotransmitters
 effects on reproduction, 64-68
Russia, 473, 638 (r)
Saipan, 42-55
Saskatchewan, 1-6, 33-41, 280
Scotland, 167-168 (r), 317 (r), 491 (r), 547-561
South Carolina, 228-234, 323-330, 358-366, 458-470, 581, 585
South Dakota, 165 (r), 451, 483 (r)
South George Island, 163 (r)
Spain, 160-161 (r), 392-399, 485-486 (r), 575-579, 607-612
Surinam, 96
Sweden, 164 (r), 487-488 (r), 496 (4), 638-639 (r)
Switzerland, 485 (r)
techniques
 estimating clutch size, 19-25
 sex determination, 102-112
Tennessee, 167 (r), 184, 332
Texas, 136, 141, 291, 467, 493 (r), 580-589, 635-636 (r)
Tierra del Fuego, 144-146
transmitters, 526-529
Trinidad, 91, 96, 181 (r)
Uruguay, 79-90, 91
Utah, 485 (r)
Venezuela, 91-97, 163 (r), 293, 309 (r), 426-442
Virginia, 184, 367-375, 413-420, 503-508, 519-525
Wake Island, 46
Washington, 500 (r)
Wisconsin, 7-18, 241, 636 (r)
Wyoming, 485 (r)
Yucatan, 291-292

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes, and reviews.

- Accipiter cooperii*, 304
A. gentilis, 69-74, 597
A. nisus, 307-308 (r), 483 (r), 486 (r)
A. striatus, 250, 319-320 (r)
A. superciliosus, 98
Acrocephalus arundinaceus, 488 (r)
A. palustris, 159 (r), 164-165 (r)
A. schoenobaenus, 313 (r), 496 (r), 638 (r)
A. scirpaceus, 164-166 (r), 313 (r), 496 (r)
Actitis hypoleucos, 42, 45-46, 48-50, 53
A. macularia, 123, 296-301, 567-569, 627
Aechmophorus occidentalis, 122
Agelaius icterocephalus, 96
A. phoeniceus, 20, 165 (r), 451, 489-490 (r), 635 (r)
A. tricolor, 20
Aimophila cassinii, 140
Ajaia ajaja, 287-295
Alauda arvensis, 157 (r)
 Albatross
 Black-footed, see *Diomedea nigripes*
 Black-browed, see *Diomedea melanophris*
 Laysan's, see *Diomedea immutabilis*
 Royal, see *Diomedea epomophora*
 Wandering, see *Diomedea eluxans*
 Waved, see *Diomedea irrorata*
Alle alle, 344
Amazilia tzacatl, 100
Ammodramus henslowii, 235-244
A. savannarum, 489-490 (r)
Amphispiza bilineata, 140
Anas acuta, 119-120
A. americana, 119, 639 (r)
A. clypeata, 119, 526-529
A. crecca, 5, 632 (r), 639 (r)
A. cyanoptera, 119
A. discors, 290, 292
A. platyrhynchos, 1-6, 35, 67, 147-149, 331-337, 527, 632 (r), 637 (r), 639-640 (r), 643 (r)
A. strepera, 527
Anhinga anhinga, 291
Anous minutus, 531
 Antshrike
 Slaty, see *Thamnophilus punctatus*
 Antwren
 Checkered-throated, see *Myrmotherula fulviventris*
Aphelocoma spp., 193
A. coerulescens, 280, 633-634 (r)
A. ultramarina, 633-634 (r)
Aptenodytes patagonicus, 163-164 (r)
Apus apus, 305, 509-518
Ardea alba, 118-119, 122, 155 (r), 485 (r)
A. herodias, 118-119, 122, 155 (r), 287-295, 485 (r)
A. purpurea, 160-161 (r)
Ardeola ralloides, 160-161 (r)
Arenaria interpres, 42, 45-46, 50, 52-53, 123, 567-569, 627, 638 (r)
A. melanocephala, 567, 569
Arundinicola leucocephala, 96
 Auklet
 Rhinoceros, see *Cerorhinca monocerata*
 Avocet
 American, see *Recurvirostra americana*
Aythya americana, 147-149
A. valisineria, 119, 335
 Blackbird, see *Turdus merula*
 Red-breasted, see *Leistes militaris*
 Red-winged, see *Agelaius phoeniceus*
 Tricolored, see *Agelaius tricolor*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
 Yellow-hooded, see *Agelaius icterocephalus*
 Bluebird
 Eastern, see *Sialia sialis*
 Western, see *Sialia mexicana*
Bonasa bonasia, 492-493 (r)
B. umbellus, 413-420
 Booby
 Brown, see *Sula leucogaster*
 Bowerbird
 Great, see *Chlamydera nuchalis*
Brachyramphus marmoratus, 153, 208-223, 421-425
Branta bernicla, 565
 canadensis, 119, 505
Brotogeris tirica, 309 (r)
Bubo virginianus, 39, 70, 168 (r), 493 (r)
Bubulcus ibis, 119, 122, 160-161 (r), 306 (r)
Bucephala albeola, 505

- B. clangula*, 639 (r)
 Bufflehead, see *Bucephala albeola*
 Bunting
 Lark, see *Calamospiza melanocorys*
 Snow, see *Plectrophenax nivalis*
 Bushtit, see *Psaltriparus minimus*
Buteo buteo, 608, 610
B. jamaicensis, 39, 493 (r), 632 (r)
B. platypterus brunnescens, 179
B. swainsoni, 39
Butorides striatus, 119
Cairina moschata, 291–292
Calamospiza melanocorys, 317 (r)
Calidris acuminata, 46, 51
C. alba, 46, 50–51, 123, 567–569, 571, 627, 638 (r)
C. alpina, 47, 53, 123, 314 (r), 360–361, 562–574, 607–612
C. canutus, 123, 562–574
C. c. canutus, 495 (r)
C. canutus islandica, 495 (r)
C. ferruginea, 47, 361
C. maritima, 638 (r)
C. mauri, 113–123, 360, 562–574
C. melanotos, 47
C. minuta, 47, 52
C. minutilla, 123, 360, 562–574
C. pusilla, 360, 627
C. ruficollis, 42, 45–46, 48, 51–53
C. subminuta, 47
C. temminckii, 47
C. tenuirostris, 47, 52
Calypte anna, 248
Campephilus magellanicus, 501 (r)
C. principalis, 500–501 (r)
Campylorhynchus brunneicapillus, 140
C. griseus, 96, 163 (r)
 Canvasback, see *Aythya valisineria*
Caprimulgus acutipennis, 577
C. carolinensis, 577
C. climacurus, 577
C. donaldsoni, 577
C. europaeus, 577
C. fossii, 577
C. indicus, 492–493 (r)
C. madagascariensis, 577
C. macrurus, 577
C. natalensis, 577
C. pectoralis, 577
C. poliocephalus, 577
C. ruficollis, 575–579
C. rufigena, 577
C. rufus, 577
C. tristigma, 577
C. vociferus, 577
 Cardinal
 Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 367–375
C. sinuatus, 140
Carduelis chloris, 486 (r), 495–496 (r)
Catharus bicknelli, 519–525
C. fuscescens, 537–546
C. minimus, 519–525
Catoptrophorus semipalmatus, 123, 562–574
Centrocercus urophasianus, 162 (r)
Cerorhinca monocerata, 153
Ceryle alcyon, 120, 158–159 (r), 485 (r), 500 (r)
C. torquata, 500 (r)
Chaetura pelagica, 305
C. vauxi, 302–305
Charadrius alexandrinus, 47, 122, 565, 573
C. dubius, 46, 48
C. hiaticula, 46, 48, 52, 638 (r)
C. leschenaultii, 46–48
C. mongolus, 42, 45–48, 53
C. montanus, 567–570
C. semipalmatus, 360–361, 567–569
C. vociferus, 123, 567–569
C. wilsonius, 123, 567–569, 572
Chen caerulescens caerulescens, 20, 124–134
 Chickadee
 Black-capped, see *Parus atricapillus*
Chlamydera nuchalis, 490 (r)
Chlidonias niger, 451
Chloephaga picta, 144–146
C. poliocephala, 144–146
Chlorostilbon maugaeus, 180
Chordeiles acutipennis, 577
C. minor, 140, 577
Cinclus cinclus, 317 (r)
Circus aeruginosus, 608, 610
C. cyaneus, 119, 608, 610, 632 (r)
Cistothorus palustris, 451
Clangula hyemalis, 505
Climacterus rufa, 491–492 (r)
Coccyzus minor, 179 (r)
 Cock-of-the-rock, see *Rupicola rupicola*
Columba fasciata, 211
C. livia, 136, 314 (r), 509–518
C. squamosa, 270
Columbina passerina, 580–589
C. p. pallescens, 580–589
C. p. passerina, 580–589
 Coot
 American, see *Fulica americana*
 Eurasian, see *Fulicula atra*
Corapipo gutturalis, 169–170 (r)
 Cormorant
 Double-crested, see *Phalacrocorax auritus*
 Great, see *Phalacrocorax carbo sinensis*
 Japanese, see *Phalacrocorax capillatus*
 King, see *Phalacrocorax albiventer*
Corvus brachyrhynchos, 490–491 (r)

- C. caurinus*, 596
C. corax, 382–391, 633 (r)
C. corone, 496 (r)
Coturnicops noveboracensis, 56–63
Coturnix coturnix, 70, 511
 Cowbird
 Brown-headed, see *Molothrus ater*
 Shiny, see *Molothrus bonariensis*
 Crane
 Greater Sandhill, see *Grus canadensis ta-*
 bida
 Mississippi Sandhill, see *Grus canadensis*
 pulla
 Whooping, see *Grus americana*
Cranioleuca vulpina, 96
 Crossbills
 Red, see *Loxia curvirostra*
 White-winged, see *Loxia leucoptera*
 Crow
 American, see *Corvus brachyrhynchos*
 Carrion, see *Corvus corone*
 Northwestern, see *Corvus caurinus*
 Cuckoo
 Common, see *Cuculus canorus*
 Mangrove, see *Coccyzus minor*
Cuculus canorus, 165 (r)
 Curlew
 Bristle-thighed, see *Numenius tahitiensis*
 Eurasian, see *Numenius arquata*
 Far Eastern, see *Numenius madagascariensis*
 Little, see *Numenius minutus*
 Long-billed, see *Numenius americanus*
 Currawong
 Pied, see *Strepera graculina*
Cygnus spp., 144
C. buccinator, 644 (r)
Delichon urbica, 164 (r)
Dendrocygna spp., 291–292
Dendroica adelaidae, 179
D. caerulescens, 443–449, 632 (r)
D. coronata, 541–544
D. fusca, 541–544
D. pennsylvanica, 541–544
D. virens, 541–544
 Dickcissel, see *Spiza americana*
 Dipper, see *Cinclus cinclus*
Diomedea eluxans, 225
D. epomorpha, 226
D. immutabilis, 224–227, 531
D. irrorata, 224–227
D. melanophris, 225
D. nigripes, 153, 224–227
 Dove
 Mourning, see *Zenaida macroura*
 Rock, see *Columba livia*
 White-winged, see *Zenaida asiatica*
 Zenaida, see *Zenaida aurita*
 Dovekie, see *Alle alle*
 Dowitcher, see *Limnodromus* spp.
 Short-billed, see *Limnodromus griseus*
Dryocopus pileatus, 304, 460
 Duck
 Muscovy, see *Cairina moschata*
 Ruddy, see *Oxyura jamaicensis*
 Dunlin, see *Calidris alpina*
 Eagle
 Bald, see *Haliaeetus leucocephalus*
 Egret
 Cattle, see *Bubulcus ibis*
 Great, see *Ardea alba*
 Little, see *Egretta garzetta*
 Reddish, see *Egretta rufescens*
 Snowy, see *Egretta thula*
 Tricolored, see *Egretta tricolor*
Egretta spp., 287–295
E. caerulea, 290
E. garzetta, 160–161 (r)
E. rufescens, 122
E. thula, 118–119, 122, 287–295, 319 (r)
E. tricolor, 122, 290
 Eiders
 Common, see *Somateria mollissima*
 Spectacled, see *Somateria fischeri*
Elaenia cristata, 482 (r)
 Elaenia
 Plain-crested, see *Elaenia cristata*
Emberiza cia, 193
E. citrinella, 193
E. schoenichus, 193
Empidonax alnorum, 630–631
E. minimus, 486–487 (r), 541–544
E. traillii, 622–629
E. t. extimus, 630–631
Eremophila alpestris, 140, 489–490 (r)
Erithacus rubecula, 372
Eudocimus albus, 290, 309–310 (r)
Eudyptula minor novaehollandiae, 103
 Euphonia
 Antillean, see *Euphonia musica*
Euphonia musica, 180
Eurostopodus macrotis, 577
E. temminckii, 577
 Falcon
 Aplomado, see *Falco femoralis*
 Northern Aplomado, see *Falco f. septentrionalis*
 Peregrine, see *Falco peregrinus*
Falco columbarius, 608
F. femoralis, 135–143, 493 (r)
F. f. septentrionalis, 136
F. peregrinus, 119–120, 140, 632 (r)
F. rusticolus, 308–309 (r)
F. sparverius, 179, 597, 643 (r)

- F. tinnunculus*, 608, 610, 636 (r)
Ficedula hypoleuca, 307–308 (r), 368, 372, 487–488 (r)
 Finch
 Zebra, see *Taeniopygia guttata*
 Flycatcher
 Alder, see *Empidonax alnorum*
 Least, see *Empidonax minimus*
 Great Crested, see *Myiarchus crinitus*
 Pied, see *Ficedula hypoleuca*
 Puerto Rican, see *Myiarchus antillarum*
 Suiriri, see *Suiriri suiriri*
 Willow, see *Empidonax traillii*
Forpus xanthopterygius, 309 (r)
Fratercula artica, 338–347
Fulica americana, 19–25, 120, 450–457
F. atra, 490 (r)
Fluvicola pica, 91–97
 Fulmar
 Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 168 (r)
 Gadwall, see *Anas strepera*
Gallinago spp., 46, 51
G. gallinago, 51
G. hardwickii, 51–52
G. megalala, 51
G. stenura, 51
Garrulus glandarius, 313 (r)
Gavia immer, 118, 122
Geococcyx californianus, 135–136, 140
Geothlypis trichas, 67, 541–544
Glaucous gull, 47
 Gnatcatcher
 Blue-gray, see *Poliophtila caerulea*
 Godwit
 Bar-tailed, see *Limosa lapponica*
 Black-tailed, see *Limosa limosa*
 Marbled, see *Limosa fedoa*
 Golden-Plover
 European, see *Pluvialis apricaria*
 Pacific, see *Pluvialis fulva*
 Goldeneye
 Common, see *Bucephala clangula*
 Goose
 Ashy-headed, see *Chloephaga poliocephala*
 Canada, see *Branta canadensis*
 Lesser Snow, see *Chen caerulescens caerulescens*
 Magellan, see *Chloephaga picta*
 Goshawk
 Northern, see *Accipiter gentilis*
 Grackle
 Carib, see *Quiscalus lugubris*
 Greater Antillean, see *Quiscalus niger*
 Grebe
 Eared, see *Podiceps nigricollis*
 Little, see *Podiceps ruficollis*
 Pied-billed, see *Podilymbus podiceps*
 Western, see *Aechmophorus occidentalis*
 Greenfinch, see *Carduelis chloris*
 Greenshank
 Common, see *Tringa nebularia*
 Nordmann's, see *Tringa guttifer*
 Ground-Dove
 Common, see *Columbina passerina*
 Grouse
 Black, see *Tetrao tetrix*
 Hazel, see *Bonasa bonasia*
 Red, see *Lagopus lagopus scoticus*
 Ruffed, see *Bonasa umbellus*
 Sage, see *Centrocercus urophasianus*
 Willow, see *Lagopus lagopus*
Grus americana, 200
G. canadensis pulla, 205
G. canadensis tabida, 200–207
 Gull
 California, see *Larus californicus*
 Glaucous-winged, see *Larus glaucescens*
 Heerman's, see *Larus heermanni*
 Herring, see *Larus argentatus*
 Ivory, see *Pagophila eburnea*
 Laughing, see *Larus atricilla*
 Ring-billed, see *Larus delawarensis*
 Ross's, see *Rhodostethia rosea*
 Yellow-footed, see *Larus livens*
Gygis alba, 531
Gymnorhina tibicen, 493 (r)
Gyps fulvus, 392–399
 Gyrfalcon, see *Falco rusticolus*
Haematopus ostralegus, 47, 319 (r), 363, 638 (r)
H. palliatus, 123, 567–569, 572
Haliaeetus leucocephalus, 119–120, 150–151, 211, 590–601, 632 (r), 639–640 (r)
 Harrier
 Northern, see *Circus cyaneus*
 Hawk
 Cooper's, see *Accipiter cooperii*
 Puerto Rican Broadwinged, see *Buteo platypterus brunnescens*
 Red-tailed, see *Buteo jamaicensis*
 Sharp-shinned, see *Accipiter striatus*
 Swainson's, see *Buteo swainsoni*
 Tiny, see *Accipiter superciliosus*
 Hermit
 Little, see *Phaethornis longuemareus*
 Long-tailed, see *Phaethornis superciliosus*
 Heron
 Great Blue, see *Ardea herodias*
 Green, see *Butorides striatus*
 Little Blue, see *Egretta caerulea*
 Purple, see *Ardea purpurea*
 Squacco, see *Ardeola ralloides*
 Tricolored, see *Egretta tricolor*

- Heteroscelus brevipes*, 42, 45–46, 49–50, 52–53, 567–569
- H. incanus*, 42, 45–46, 49, 53
- Himantopus himantopus*, 46, 48–49
- H. h. himantopus*, 49
- H. h. leucocephalus*, 49
- H. mexicanus*, 562–574, 627
- Hirundo rustica*, 367
- Honeyeater
New Holland, see *Phylidonyris novaehollandiae*
Regent, see *Xanthomyza phrygia*
Singing, see *Lichenostomus virescens*
- Hydropsalis brasiliiana*, 577
- Hummingbird
Anna's, see *Calypte anna*
Calliope, see *Stellula calliope*
Puerto Rican Emerald, see *Chlorostilbon maugaeus*
Rufous, see *Selasphorus rufus*
Rufous-tailed, see *Amazilia tzacatl*
- Hylocichla mustelina*, 348–357, 367–375, 498 (r)
- Ibis
Glossy, see *Plegadis falcinellus*
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
- Icterus dominicensis*, 179
- I. galbula*, 542–543
- I. parisorum*, 140
- Iridoprocne bicolor*, see *Tachycineta bicolor*
- Jabiru mycteria*, 287–295
- Jay
Eurasian, see *Garrulus glandarius*
Gray-breasted, see *Aphelocoma ultramarina*
- Junco
Carolina, see *Junco hyemalis carolinensis*
Dark-eyed, see *Junco hyemalis*
Northern, see *Junco hyemalis hyemalis*
- Junco hyemalis*, 183–199, 495 (r)
- J. h. carolinensis*, 183–199
- J. h. hyemalis*, 183–199
- Kestrel
American, see *Falco sparverius*
- Killdeer, see *Charadrius vociferus*
- Kingbird,
Puerto Rican Loggerhead, see *Tyrannus caudifasciatus*
Western, see *Tyrannus verticalis*
- Kingfisher
Belted, see *Ceryle alcyon*
Ringed, see *Ceryle torquata*
- Kittiwake
Black-legged, see *Rissa tridactyla*
- Knot
Great, see *Calidris tenuirostris*
Red, see *Calidris canutus*
- Lagopus lagopus*, 308–309 (r), 417
- L. l. scoticus*, 167–168 (r)
- L. leucurus*, 417
- L. mutus*, 308–309 (r)
- Lanius cristatus superciliosus*, 496–497 (r)
- L. ludovicianus*, 273–282
- L. l. exubitorides*, 280
- L. l. migrans*, 279
- Lark
Horned, see *Eremophila alpestris*
- Larus argentatus*, 122, 490–491 (r)
- L. atricilla*, 117, 122
- L. californicus*, 122, 485 (r)
- L. canus*, 211
- L. delawarensis*, 117, 122, 158 (r), 505
- L. glaucescens*, 153, 211
- L. heermanni*, 122
- L. livens*, 122
- Leistes militaris*, 96
- Lepidocolaptes angustirostris*, 482 (r)
- Lepidothrix serena*, 169–170 (r)
- Lichenostomus virescens*, 493 (r)
- Limnodromus* spp., 47, 52, 119, 123, 360, 562–574
- L. griseus*, 358–366
- L. scolopaceus*, 360
- Limosa fedoa*, 119, 123, 361, 562–574
- L. lapponica*, 46, 50, 52, 361
- L. limosa*, 47, 50, 361
- Lizard-Cuckoo
Puerto Rican, see *Saurothera vieilloti*
- Loon, Common, see *Gavia immer*
- Loxia curvirostra*, 613–614, 619
- L. leucoptera*, 613–621
- Luvocalis semitorquatus*, 577
- Lyrebird
Superb, see *Menura novaehollandiae*
- Maggie
Australian, see *Gymnorhina tibicen*
Black-billed, see *Pica pica*
- Mallard, see *Anas platyrhynchos*
- Manakin
White-fronted, see *Lepidothrix serena*
White-throated, see *Corapipo gutturalis*
- Margarops fuscatus*, 179
- Marsh-Tyrant
White-headed, see *Arundinicola leucocephala*
- Martin
House, see *Delichon urbica*
- Meadowlark
Eastern, see *Sturnella magna*
- Megaceryle alcyon*, 485 (r)
- Megadyptes antipodes*, 103
- Melanerpes portoricensis*, 179
- M. carolinus*, 460

- Melanitta perspicillata*, 505
Melospiza lincolni, 193
M. melodia, 537–546
Menura novaehollandiae, 486 (r)
Merganser
 Common, see *Mergus merganser*
 Red-breasted, see *Mergus serrator*
Mergus spp., 211
M. serrator, 119, 635–636 (r)
M. merganser, 211
Mimus polyglottos, 140
Mniotilta varia, 542–544
Mockingbird
 Northern, see *Mimus polyglottos*
Molothrus bonariensis, 91–97
M. ater, 135–136, 140, 312 (r), 483 (r), 634–635 (r)
Motacilla flava, 313 (r)
M. alba, 319 (r)
Murre
 Common, see *Uria aalga*
 Thick-billed, see *Uria lomvia*
Murrelet
 Marbled, see *Brachyramphus marmoratus*
Myiarchus antillarum, 179
M. crinitus, 541–543
Mycteria americana, 161 (r), 287–295
Myospiza humeralis, 482 (r)
Myrmotherula fulviventris, 429
Nectarinia amethystina, 633 (r)
N. famosa, 633 (r)
Neothraupis fasciata, 482 (r)
Nesospingus speculiferus, 179
Nighthawk
 Common, see *Chordeiles minor*
Night-Heron
 Black-crowned, see *Nycticorax nycticorax*
 Nankeen, see *Nycticorax caledonicus*
Nightjar
 Jungle, see *Caprimulgus indicus*
 Red-necked, see *Caprimulgus ruficollis*
Ninox strenua, 155–156 (r)
Noddy
 Black, 531
Nucifraga carryocatactes, 638 (r)
Numerius americanus, 119, 123, 567–570
N. arquata, 47, 361, 638–639 (r)
N. madagascariensis, 47, 52
N. minutus, 47
N. phaeopus, 42, 45–46, 48, 50, 52–53, 123, 308–309 (r), 567–569
N. p. variegatus, 50
N. tahitiensis, 47, 144
Nutcracker
 Eurasian, see *Nucifraga carryocatactes*
Nuthatch
 Eurasian, see *Sitta europaea*
 White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax, 118–119, 122, 319 (r), 485 (r)
N. caledonicus, 493 (r)
Nyctidromus albicollis, 577
Nyctiphrynus ocellatus, 577
Oceanodroma castro, 31
O. melania, 122
Oilbird, see *Steatornis caripensis*
Oldsquaw, see *Clangula hyemalis*
Oporornis formosus, 367
O. philadelphia, 537–546
Oriole
 Northern, see *Icterus galbula*
 Puerto Rican Black-cowled, see *Icterus dominicensis*
 Scott's, see *Icterus parisorum*
Osprey, see *Pandion haliaetus*
Otus asio, 169 (r)
O. nudipes, 179
Ovenbird, see *Seiurus aurocapillus*
Owl
 Barn, see *Tyto alba*
 Great Horned, see *Bubo virginianus*
 Masked, see *Tyto novaehollandiae*
 Northern Spotted, see *Strix occidentalis caurina*
 Powerful, see *Ninox strenua*
 Sooty, see *Tyto tenebricosa*
 Tawny, see *Strix aluco*
Oxyura jamaicensis, 2, 5, 119–120, 643 (r)
Oystercatcher
 American, see *Haematopus palliatus*
 Eurasian, see *Haematopus ostralegus*
Pagophila eburnea, 168 (r)
Palm-Tanager
 Black-crowned, see *Phaenicophilus palmarum*
Pandion haliaetus, 119, 485 (r), 503–508, 598
Parula
 Northern, see *Parula americana*
Parula americana, 542–543
Parus spp., 482 (r)
P. ater, 485 (r)
P. atricapillus, 484 (r), 495 (r)
P. caeruleus, 313 (r)
P. cristatus, 484–485 (r)
P. major, 313 (r), 316–317 (r), 483 (r), 485 (r), 497 (r)
P. montanus, 159–160 (r), 319 (r), 484–485 (r), 642–643 (r)
P. palustris, 637–638 (r)
Passer domesticus, 7, 8, 14–17, 136, 156 (r), 325, 494–495 (r), 516
Passerculus sandwichensis, 489–491 (r)
Pelecanus occidentalis, 117, 122, 634 (r)
P. erythrorhynchos, 117, 122, 488–489 (r)

- Pelican
 American White, see *Pelecanus erythrorhynchos*
 Brown, see *Pelecanus occidentalis*
- Penguin
 Adélie, see *Pygoscelis adeliae*
 Chinstrap, see *Pygoscelis antarctica*
 Humboldt, see *Spheniscus humboldti*
 King, see *Aptenodytes patagonicus*
 Little Blue, see *Eudyptula minor novaehollandiae*
 Magellanic, see *Spheniscus magellanicus*
 Yellow-eyed, see *Megadyptes antipodes*
- Petrel
 Bonin, see *Pterodroma hypoleuca*
 Hawaiian Dark-rumped, see *Pterodroma phaeopygia*
 Phoenix, see *Pterodroma alba*
Phaenicoptilus palmarum, 179
Phaethon rubricauda, 310–311 (r), 531
Phaethornis spp., 98–101
P. longuemareus, 98–101
P. superciliosus, 98–101
Phalacrocorax albiventer, 555
P. aristotelis, 547–561
P. atriceps, 555
P. auritus, 117
P. capillatus, 555
P. carbo sinensis, 485–486 (r)
- Phalarope
 Red, see *Phalaropus fulicaria*
Phalaropus fulicaria, 567–569
Phasianus colchicus, 20, 318 (r)
- Pheasant
 Ring-necked, see *Phasianus colchicus*
Philomachus pugnax, 46, 51
Phylidonyris novaehollandiae, 157 (r)
Phylloscopus sibilatrix, 367
P. trochilus, 372
Pica pica, 635–636 (r)
Picoides borealis, 228–234, 458–470
- Pigeon
 Band-tailed, see *Columba fasciata*
 Homing, see *Columba livia*
Pionopsitta pileata, 309 (r)
Pionus maximiliani, 309 (4)
- Pintail
 Northern, see *Anas acuta*
Piranga rubra, 178–182
Plectrophenax nivalis, 314 (r)
Plegadis chihi, 119
P. falcinellus, 309–310 (r)
- Plover
 Black-bellied, see *Pluvialis squatarola*
 Common Ringed, see *Charadrius hiaticula*
 Greater Sand, see *Charadrius leschenaultii*
 Little Ringed, see *Charadrius dubius*
 Mongolian, see *Charadrius mongolus*
 Mountain, see *Charadrius montanus*
 Semipalmated, see *Charadrius semipalmatus*
 Snowy, see *Charadrius alexandrinus*
 Wilson's, see *Charadrius wilsonia*
Pluvialis apricaria, 308–309 (r)
P. fulva, 42, 45–46, 48–50, 52–54
P. squatarola, 46, 53, 119, 123, 360–361, 562–574
Podiceps nigricollis, 122
P. ruficollis, 490 (r)
Podilymbus podiceps, 118
Poephila guttata, see *Taeniopygia guttata*
Poliophtila caerulea, 312 (r)
Pooecetes gramineus, 166 (r)
Porzana carolina, 450–457
- Pratincole
 Oriental, see *Glareola maldivarum*
Promerops gurneyi, 633 (r)
Protonotaria citrea, 428
- Ptarmigan
 Rock, see *Lagopus mutus*
 Willow, see *Lagopus lagopus*
 White-tailed, see *Lagopus leucurus*
- Pterocnemia* spp., 145
Pterodroma alba, 376–381
P. hypoleuca, 379, 530–536
P. phaeopygia, 31
- Puffin
 Atlantic, see *Fratercula arctica*
Puffinus auricularis newelli, 26–32
Pygoscelis adeliae, 103
P. antarctica, 103
- Pyrrhuloxia, see *Cardinalis sinuatus*
Pyrrhura frontalis, 309 (r)
- Quail
 Japanese, see *Coturnix coturnix*
Quiscalus lugubris, 96
Q. niger, 179
- Rail
 Yellow, see *Coturnicops noveboracensis*
 Yuma Clapper, see *Rallus longimembris yumanensis*
- Rallus longimembris yumanensis*, 114
- Raven
 Common, see *Corvus corax*
Recurvirostra americana, 123, 562–574
- Redhead, see *Aythya americana*
- Redshank
 Common, see *Tringa totanus*
 Spotted, see *Tringa erythropus*
- Redstart
 American, see *Setophaga ruticilla*
- Rhea, spp., see *Pterocnemia*
Rhodostethia rosea, 168 (r)
Rhynchops niger, 118, 122

- Rissa tridactyla*, 168 (r)
Roadrunner
Greater, see *Geococcyx californianus*
Robin
American, see *Turdus migratorius*
European, see *Erithacus rubecula*
Ruff, see *Philomachus pugnax*
Rupicola rupicola, 169–170 (r)
Sanderling, see *Calidris alba*
Sandpiper
Common, see *Actitis hypoleucos*
Curlew, see *Calidris ferruginea*
Green, see *Tringa ochropus*
Least, see *Calidris minutilla*
Marsh, see *Tringa stagnatilis*
Pectoral, see *Calidris melanotos*
Purple, see *Calidris maritima*
Semipalmated, see *Calidris pusilla*
Sharp-tailed, see *Calidris acuminata*
Spotted, see *Actitis macularia*
Terek, see *Xenus cinereus*
Western, see *Calidris mauri*
Wood, see *Tringa glareola*
Saurothera vieilloti, 179
Schetba rufa, 634 (r)
Scolopax minor, 58
S. rusticola, 492–493 (r)
Scoter
Surf, see *Melanitta perspicillata*
Screech-Owl
Eastern, see *Otus asio*
Puerto Rican, see *Otus nudipes*
Scrub-Jay
Florida, see *Aphelocoma coerulescens*
Seiurus aurocapillus, 367–375, 537–546
S. noveboracensis, 428
Selasphorus rufus, 245–252
Setophaga ruticilla, 486–487 (r), 542–544
Shag
European, see *Phalacrocorax aristotelis*
Blue-eyed, see *Phalacrocorax atriceps*
Shearwater
Newell's see *Puffinus auricularis newelli*
Shoveler
Northern, see *Anas clypeata*
Shrike
Brown, see *Lanius cristatus superciliosus*
Loggerhead, see *Lanius ludovicianus*
Sialia mexicana, 312 (r), 635 (r)
S. sialis, 7–18, 167 (r), 311 (r), 323–330, 483 (r)
Sitta carolinensis, 285
S. europaea, 166–167 (r)
Skimmer
Black, see *Rhynchops niger*
Skylark, see *Alauda arvensis*
Snipe, spp., see *Gallinago*
Common, see *Gallinago gallinago*
Latham's, see *Gallinago hardwickii*
Pintail, see *Gallinago stenura*
Swinhoe's, see *Gallinago megala*
Somateria fischeri, 471–481
S. mollissima, 473
Sora, see *Porzana carolina*
Sparrow
American Tree, see *Spizella arborea*
Black-throated, see *Amphispiza bilineata*
Cassin's, see *Aimophila cassinii*
Grasshopper, see *Ammodramus savannarum*
Grassland, see *Myospiza humeralis*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*
Vesper, see *Poocetes gramineus*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk, see *Accipiter nisus*
Spheniscus humboldti, 102–112
S. magellanicus, 103
Spinetail
Rusty-backed, see *Cranioleuca vulpina*
Spiza americana, 317 (r)
Spizella arborea, 193, 257, 495 (r)
S. passerina, 193
S. pusilla, 495 (r)
Spoonbill
Roseate, see *Ajaia ajaja*
Sphyrapicus spp., 482 (r)
Starling
European, see *Sturnus vulgaris*
Steatornis caripensis, 309 (r)
Stellula calliope, 248
Sterna spp., 317–318 (r), 401, 404, 406–408, 410
S. anaethetus, 498
S. antillarum, 114, 122
S. caspia, 118, 122, 310 (r), 485 (r)
S. dougallii, 79–90
S. elegans, 122
S. forsteri, 118, 122
S. hirundo, 79–90, 628
S. maxima, 122
S. nilotica, 118, 122
S. paradisaea, 400–412
Stilt
Black-winged, see *Himantopus himantopus*
Black-necked, see *Himantopus mexicanus*
Stint
Little, see *Calidris minuta*
Long-toed, see *Calidris subminuta*
Rufous-necked, see *Calidris ruficollis*
Temminck's, see *Calidris temminckii*
Stork

- Jabiru, see *Jabirus mycteria*
 Wood, see *Mycteria americana*
- Storm-Petrel
 Band-rumped, see *Oceanodroma castro*
 Black, see *Oceanodroma melania*
- Strepera graculina*, 156–158 (r)
Strix aluco, 169 (r)
S. occidentalis caurina, 500 (r)
Sturnella spp., 135–136, 138
S. magna, 489–490 (r)
Sturnus vulgaris, 8, 26, 136, 325, 482–483 (r), 487–488 (r)
- Sugarbird
 Gurney's, see *Promerops gurney*
Suiriri suiriri, 482 (r)
Sula leucogaster, 122
- Sunbird
 Black, see *Nectarinia amethystina*
 Malachite, see *Nectarinia famosa*
- Swallow
 Barn, see *Hirundo rustico*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
- Swan, spp., see *Cygnus*
- Swift
 Chimney, see *Chaetura pelagica*
 Common, see *Apus apus*
 Vaux's, see *Chaetura vauxi*
Tachycineta bicolor, 14, 162–163 (r), 307 (r), 311 (r), 483–484 (r)
T. thalassina, 483–484 (r)
Taeniopygia guttata, 162 (r), 310–312 (r), 642 (r)
- Tanager
 Puerto Rican, see *Nesospingus speculiferus*
 Stripe-headed, see *Spindalis zena*
 Summer, see *Piranga rubra*
 White-banded, see *Neothraupis fasciata*
- Tattler
 Gray-tailed, see *Heteroscelus brevipes*
 Wandering, see *Heteroscelus incanus*
- Teal
 Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 Green-winged, see *Anas crecca*
- Tern
 Arctic, see *Sterna paradisaea*
 Black, see *Chlidonias niger*
 Bridled, see *Sterna anaethetus*
 Caspian, see *Sterna caspia*
 Common, see *Sterna hirundo*
 Elegant, see *Sterna elegans*
 Forster's, see *Sterna forsteri*
 Gull-billed, see *Sterna nilotica*
 Least, see *Sterna antillarum*
 Roseate, see *Sterna dougalli*
 Royal, see *Sterna maxima*
 White, see *Gygis alba*
- Tetrao tetrix*, 417
Thamnophilus punctatus, 428–429
- Thrasher
 Pearly-eyed, see *Margarops fuscatus*
- Thrush
 Bicknell's, see *Catharus bicknelli*
 Gray-cheeked, see *Catharus minimus*
 Red-legged, see *Turdus plumbeus*
 Song, see *Turdus philomelos*
 Wood, see *Hylocichla mustelina*
- Thryothorus nigricapillus*, 487 (r)
- Tit
 Blue, see *Parus caeruleus*
 Coal, see *Parus ater*
 Crested, see *Parus cristatus*
 Great, see *Parus major*
 Marsh, see *Parus palustris*
 Willow, see *Parus montanus*
- Treecreeper
 Rufous, see *Climacterus rufa*
- Triclaria malachitacea*, 309 (r)
Tringa erythropus, 47
T. flavipes, 358–366, 567–569
T. glareola, 42, 45–46, 49, 53
T. guttifer, 47
T. melanoleuca, 47, 52, 361, 567–571
T. nebularia, 46, 49
T. ochropus, 47
T. stagnatilis, 46, 49
T. totanus, 47, 361
Troglodytes aedon, 7, 10, 14–17, 161–162 (r), 285, 311 (r), 482 (r), 634–635 (r)
T. troglodytes, 542–544
- Tropicbird
 Red-tailed, see *Phaethon rubricauda*
- Turdus merula*, 491
T. migratorius, 505
T. philomelos, 164 (r)
T. plumbeus, 179
- Turnstone
 Black, see *Arenaria melanocephala*
 Ruddy, see *Arenaria interpres*
- Tyrannus caudifasciatus*, 179
T. savana savana, 640 (r)
T. verticalis, 140
Tyto alba, 27
T. novaehollandiae, 155–156 (r)
T. tenebriosa, 155–156 (r)
Uria aalga, 152–154
U. lomvia, 344
- Vanga, Rufous, see *Schetba rufa*
 Veery, see *Catharus fuscescens*
- Vireo altiloquus*, 179–180
V. latimeri, 180
V. olivaceus, 312–313 (r), 541–544
- Vireo

- Black-whiskered, see *Vireo altiloquus*
 Puerto Rican, see *Vireo latimeri*
 Red-eyed, see *Vireo olivaceus*
- Vulture
 Griffon, see *Gyps fulvus*
- Wagtail
 White, see *Motacilla alba*
 Yellow, see *Motacilla flava*
- Warbler
 Adelaide's, see *Dendroica adelaidae*
 Black-and-White, see *Mniotilta varia*
 Blackburnian, see *Dendroica fusca*
 Black-throated Blue, see *Dendroica caerulescens*
 Black-throated Green, see *Dendroica virens*
 Chestnut-sided, see *Dendroica pensylvanica*
 Great Reed, see *Acrocephalus arundinaceus*
 Hooded, see *Wilsonia citrina*
 Kentucky, see *Oporonis formosus*
 Marsh, see *Acrocephalus palustris*
 Mourning, see *Oporonis philadelphia*
 Prothonotary, see *Protonotaria citrea*
 Reed, see *Acrocephalus scirpaceus*
 Sedge, see *Acrocephalus schoenobaenus*
 Willow, see *Phylloscopus trochilus*
 Wood, see *Phylloscopus sibilatrix*
 Yellow-rumped, see *Dendroica coronata*
- Waterthrush
 Northern, see *Seiurus noveboracensis*
- Water-Tyrant
 Pied, see *Fluvicola pica*
- Whimbrel, see *Numenius phaeopus*
 Whistling-Duck, see *Dendrocygna* spp.
- Wigeon
 American, see *Anas americana*
- Willet, see *Catoptrophorus semipalmatus*
Wilsonia citrina, 64-68, 75-78
- Woodcock
 European, see *Scolopax rusticola*
 American, see *Scolopax minor*
- Woodcreeper
 Narrow-billed, see *Lepidocolaptes angustirostris*
- Woodpecker
 Ivory-billed, see *Campēphilus principalis*
 Magellenic, see *Campēphilus magellanicus*
 Pileated, see *Dryocopus pileatus*
 Puerto Rican, see *Melanerpes portoricensis*
 Red-bellied, see *Melanerpes carolinus*
 Red-cockaded, see *Picoides borealis*
- Wren
 Bay, see *Thryothorus nigricapillus*
 Bicolored, see *Campylorhynchus griseus*
 Cactus, see *Campylorhynchus brunneicapillus*
 House, see *Troglodytes aedon*
 Marsh, see *Cistothorus palustris*
 Winter, see *Troglodytes troglodytes*
- Xanthocephalus xanthocephalus*, 451
Xanthomyza phyrigia, 490 (r)
Xenus cinereus, 50
- Yellowlegs
 Greater, see *Tringa melanoleuca*
 Lesser, see *Tringa flavipes*
- Yellowthroat
 Common, see *Geothlypis trichas*
Zenaida asiatica, 270, 367, 633 (r)
Z. aurita, 259-272
Z. macroura, 140, 270, 588, 633 (r)
Zonotrichia albicollis, 193, 537-546